


TANDREMSSKIVER

Tandremsskiver for udboring - ISO 5294

MXL 025

Deling 0,80" (2,032 mm)
For rembredde 1/4" (6,35 mm)





Materiale: Aluminium

Varenr.	Type	Materiale	Tand- antal	dp	de	Df	Dm	F	L	d	Flange- nummer	Kg.
MXL025-016	1F	Al	16	10,35	9,84	15	15	8,5	16		101	0,01
MXL025-018	1F	Al	18	11,64	11,13	16	16	8,5	16		102	0,01
MXL025-020	1F	Al	20	12,94	12,43	16	16	8,5	16		102	0,01
MXL025-022	2F	Al	22	14,23	13,72	18	10	11	16	3	104	0,01
MXL025-024	2F	Al	24	15,52	15,02	18	10	11	16	3	104	0,01
MXL025-028	2F	Al	28	18,11	17,60	23	11	11	16	3	107	0,01
MXL025-030	2F	Al	30	19,40	18,90	23	12	11	16	4	107	0,02
MXL025-032	2F	Al	32	20,70	20,19	25	14	11	16	4	108	0,02
MXL025-036	2F	Al	36	23,29	22,78	28	16	11	16	4	109	0,02
MXL025-040	2F	Al	40	25,87	25,36	32	18	11	16	4	110	0,03
MXL025-042	2F	Al	42	27,17	26,66	32	18	11	16	5	110	0,03
MXL025-044	2F	Al	44	28,46	27,95	36	18	11	16	5	111	0,03
MXL025-048	2	Al	48	31,05	30,54		20	11	16	5		0,03
MXL025-060	2	Al	60	38,81	38,30		24	11	16	5		0,04
MXL025-072	2	Al	72	46,57	46,06		25	11	16	6		0,05

Tandremsskiver for udboring - ISO 5294

XL 037

Deling 1/5" (5,08 mm)
For rembredde 3/8" (9,52 mm)





Materiale: Aluminium

Varenr.	Type	Materiale	Tand-antal	dp	de	Df	Dm	F	L	d	Flange-nummer	Kg.
XL037-010	2F	Al	10	16,17	15,66	23	10	14,3	20		201	0,01
XL037-011	2F	Al	11	17,79	17,28	23	10	14,3	20		201	0,01
XL037-012	2F	Al	12	19,40	18,90	25	10	14,3	20		203	0,01
XL037-013	2F	Al	13	21,02	20,51	25	10	14,3	20		203	0,01
XL037-014	2F	Al	14	22,64	22,13	28	16	14,3	20		204	0,02
XL037-015	2F	Al	15	24,25	23,75	28	16	14,3	20		204	0,02
XL037-016	2F	Al	16	25,87	25,36	32	16	14,3	20		205	0,03
XL037-017	2F	Al	17	27,49	26,98	32	20	14,3	20		205	0,03
XL037-018	2F	Al	18	29,11	28,60	36	20	14,3	20		206	0,04
XL037-019	2F	Al	19	30,72	30,21	36	20	14,3	22		206	0,04
XL037-020	2F	Al	20	32,34	31,83	38	25	14,3	22		207	0,05
XL037-021	2F	Al	21	33,96	33,45	38	25	14,3	22		207	0,05
XL037-022	2F	Al	22	35,57	35,07	42	25	14,3	22		208	0,06
XL037-024	2F	Al	24	38,81	38,30	44	30	14,3	22		209	0,06
XL037-026	2F	Al	26	42,04	41,53	48	30	14,3	22	8	210	0,09
XL037-027	2F	Al	27	43,66	43,15	48	34	14,3	22	8	210	0,09
XL037-028	2F	Al	28	45,28	44,77	51	34	14,3	22	8	211	0,10
XL037-030	2F	Al	30	48,51	48,00	54	38	14,3	22	8	212	0,12
XL037-032	2F	Al	32	51,74	51,24	57	38	14,3	25	8	213	0,12
XL037-034	2F	Al	34	54,98	54,47	60	38	14,3	25	8	214	0,13
XL037-035	2F	Al	35	56,60	56,09	63	38	14,3	25	8	215	0,14
XL037-036	2	Al	36	58,21	57,70		45	14,3	25	8		0,14
XL037-038	2	Al	38	61,45	60,94		45	14,3	25	8		0,15
XL037-040	2	Al	40	64,68	64,17		45	14,3	25	8		0,16
XL037-042	2	Al	42	67,91	67,41		45	14,3	25	8		0,18
XL037-044	2	Al	44	71,15	70,64		45	14,3	25	8		0,19
XL037-048	2	Al	48	77,62	77,11		45	14,3	25	10		0,19
XL037-052	2	Al	52	84,08	83,57		45	14,3	25	10		0,19
XL037-060	2	Al	60	97,02	96,51		45	14,3	25	10		0,22
XL037-072	2	Al	72	116,42	115,92		45	14,3	25	10		0,44

Tandremsskiver for udboring - ISO 5294

L 050

Deling 3/8" (9,525 mm)
For rembrede 1/2" (12,7 mm)



Materiale: Stål



Materiale: Støbejern (GG)

Varenr.	Type	Materiale	Tand- antal	dp	de	Df	Dm	F	L	d	Flange- nummer	Kg.
L050-010	2F	St	10	30,32	29,56	36	20	19,0	28	8	300	0,11
L050-011	2F	St	11	33,35	32,59	38	24	19,0	30	8	301	0,14
L050-012	2F	St	12	36,38	35,62	42	24	19,0	30	8	302	0,17
L050-013	2F	St	13	39,41	38,65	44	28	19,0	30	8	303	0,21
L050-014	2F	St	14	42,44	41,68	48	28	19,0	30	8	304	0,24
L050-015	2F	St	15	45,48	44,72	51	34	19,0	30	8	305	0,29
L050-016	2F	St	16	48,51	47,75	54	36	19,0	32	8	306	0,33
L050-017	2F	St	17	51,54	50,78	57	36	19,0	32	10	307	0,38
L050-018	2F	St	18	54,57	53,81	60	40	19,0	32	10	308	0,44
L050-019	2F	St	19	57,61	56,84	63	40	19,0	32	10	309	0,47
L050-020	2F	St	20	60,64	59,88	66	40	19,0	32	10	310	0,51
L050-021	2F	St	21	63,67	62,91	71	45	19,0	32	10	311	0,60
L050-022	2F	St	22	66,70	65,94	75	45	19,0	32	10	312	0,64
L050-023	2F	St	23	69,73	68,97	79	55	19,0	32	10	313	0,78
L050-024	2F	St	24	72,77	72,00	79	55	19,0	32	10	313	0,81
L050-025	2F	St	25	75,80	75,04	83	58	19,0	32	10	314	0,89
L050-026	2F	St	26	78,83	78,07	87	58	19,0	32	12	315	0,94
L050-027	2F	St	27	81,86	81,10	87	58	19,0	32	12	315	0,99
L050-028	2F	St	28	84,89	84,13	91	58	19,0	32	12	316	1,04
L050-030	2F	St	30	90,96	90,20	97	70	19,0	32	12	318	1,17
L050-032	2F	St	32	97,03	96,26	103	70	19,0	32	12	320	1,41
L050-033	2F	St	33	100,05	99,29	106	70	19,0	32	12	321	1,49
L050-034	2F	St	34	103,08	102,32	111	70	19,0	32	12	322	1,57
L050-035	2F	St	35	106,12	105,35	111	70	19,0	32	12	322	1,62
L050-036	2F	St	36	109,15	108,39	115	70	19,0	32	12	323	1,70
L050-040	2F	St	40	121,29	120,51	127	70	19,0	32	12	327	2,03
L050-042	2F	St	42	127,34	126,58	135	70	19,0	32	12	328	2,21
L050-044	2F	St	44	133,40	132,64	140	70	19,0	32	12	330	2,38
L050-045	2F	St	45	136,44	135,67	143	70	19,0	32	12	331	2,48
L050-048	2F	St	48	145,53	144,77	152	70	19,0	32	12	334	2,78
L050-050	4	GG	50	151,60	150,83		70	19,0	32	14		1,74
L050-052	4	GG	52	157,66	156,90		70	19,0	32	14		1,80
L050-056	4	GG	56	169,79	169,02		70	19,0	32	14		1,87
L050-057	4	GG	57	172,82	172,06		70	19,0	32	14		1,88
L050-060	4	GG	60	181,91	181,15		75	19,0	42	14		2,41
L050-072	4	GG	72	218,29	217,53		75	19,0	42	14		2,82
L050-084	4	GG	84	254,68	253,92		75	19,0	42	14		3,08
L050-096	4	GG	96	291,06	290,30		75	19,0	42	14		3,42

Tandremsskiver for udboring - ISO 5294

L 075

Deling 3/8" (9,525 mm)
For rembredde 3/4" (19,05 mm)



Materiale: Stål



Materiale: Støbejern (GG)

Varenr.	Type	Materiale	Tand- antal	dp	de	Df	Dm	F	L	d	Flange- nummer	Kg.
L075-010	2F	St	10	30,32	29,56	36	20	25,4	38	8	300	0,14
L075-011	2F	St	11	33,35	32,59	38	24	25,4	38	8	301	0,18
L075-012	2F	St	12	36,38	35,62	42	24	25,4	38	8	302	0,22
L075-013	2F	St	13	39,41	38,65	44	28	25,4	38	8	303	0,26
L075-014	2F	St	14	42,44	41,68	48	28	25,4	38	8	304	0,30
L075-015	2F	St	15	45,48	44,72	51	34	25,4	38	8	305	0,37
L075-016	2F	St	16	48,51	47,75	54	36	25,4	38	8	306	0,43
L075-017	2F	St	17	51,54	50,78	57	36	25,4	38	10	307	0,46
L075-018	2F	St	18	54,57	53,81	60	40	25,4	38	10	308	0,54
L075-019	2F	St	19	57,61	56,84	63	40	25,4	38	10	309	0,58
L075-020	2F	St	20	60,64	59,88	66	40	25,4	38	10	310	0,64
L075-021	2F	St	21	63,67	62,91	71	45	25,4	38	10	311	0,71
L075-022	2F	St	22	66,70	65,94	75	45	25,4	38	10	312	0,79
L075-023	2F	St	23	69,73	68,97	79	55	25,4	38	10	313	0,94
L075-024	2F	St	24	72,77	72,00	79	55	25,4	38	10	313	1,00
L075-025	2F	St	25	75,80	75,04	83	58	25,4	38	10	314	1,10
L075-026	2F	St	26	78,83	78,07	87	58	25,4	38	12	315	1,16
L075-027	2F	St	27	81,86	81,10	87	58	25,4	38	12	315	1,22
L075-028	2F	St	28	84,89	84,13	91	58	25,4	38	12	316	1,30
L075-030	2F	St	30	90,96	90,20	97	70	25,4	38	12	318	1,47
L075-032	2F	St	32	97,03	96,26	103	70	25,4	38	12	320	1,75
L075-033	2F	St	33	100,05	99,29	106	70	25,4	38	12	321	1,85
L075-034	2F	St	34	103,08	102,32	111	70	25,4	38	12	322	1,93
L075-035	2F	St	35	106,12	105,35	111	70	25,4	38	12	322	2,03
L075-036	2F	St	36	109,15	108,39	115	70	25,4	38	12	323	2,14
L075-040	2F	St	40	121,29	120,51	127	70	25,4	38	12	327	2,56
L075-042	2F	St	42	127,34	126,58	135	70	25,4	38	12	328	2,81
L075-044	2F	St	44	133,40	132,64	140	70	25,4	38	12	330	3,02
L075-045	2F	St	45	136,44	135,67	143	70	25,4	38	12	331	3,16
L075-048	2F	St	48	145,53	144,77	152	70	25,4	38	12	334	3,57
L075-050	4	GG	50	151,60	150,83		70	25,4	38	14		2,10
L075-052	4	GG	52	157,66	156,90		70	25,4	38	14		2,13
L075-056	4	GG	56	169,79	169,02		70	25,4	38	14		2,27
L075-057	4	GG	57	172,82	172,06		70	25,4	38	14		2,28
L075-060	4	GG	60	181,91	181,15		75	25,4	45	14		2,70
L075-072	4	GG	72	218,29	217,53		75	25,4	45	14		3,19
L075-084	4	GG	84	254,68	253,92		75	25,4	45	14		3,64
L050-096	4	GG	96	291,06	290,30		75	25,4	45	14		4,04

Tandremsskiver for udboring - ISO 5294

L 100

Deling 3/8" (9,525 mm)
For rembredde 1" (25,4 mm)



Materiale: Stål


Materiale: Støbejern (GG)

Varenr.	Type	Materiale	Tand- antal	dp	de	Df	Dm	F	L	d	Flange- nummer	Kg.
L100-010	2F	St	10	30,32	29,56	36	20	31,8	45	8	300	0,17
L100-011	2F	St	11	33,35	32,59	38	24	31,8	45	8	301	0,22
L100-012	2F	St	12	36,38	35,62	42	24	31,8	45	8	302	0,26
L100-013	2F	St	13	39,41	38,65	44	28	31,8	45	8	303	0,32
L100-014	2F	St	14	42,44	41,68	48	28	31,8	45	10	304	0,35
L100-015	2F	St	15	45,48	44,72	51	34	31,8	45	10	305	0,43
L100-016	2F	St	16	48,51	47,75	54	36	31,8	45	10	306	0,50
L100-017	2F	St	17	51,54	50,78	57	36	31,8	45	10	307	0,56
L100-018	2F	St	18	54,57	53,81	60	40	31,8	45	10	308	0,64
L100-019	2F	St	19	57,61	56,84	63	40	31,8	45	10	309	0,70
L100-020	2F	St	20	60,64	59,88	66	40	31,8	45	10	310	0,77
L100-021	2F	St	21	63,67	62,91	71	45	31,8	45	10	311	0,88
L100-022	2F	St	22	66,70	65,94	75	45	31,8	45	12	312	0,95
L100-023	2F	St	23	69,73	68,97	79	55	31,8	45	12	313	1,11
L100-024	2F	St	24	72,77	72,00	79	55	31,8	45	12	313	1,18
L100-025	2F	St	25	75,80	75,04	83	58	31,8	45	12	314	1,30
L100-026	2F	St	26	78,83	78,07	87	58	31,8	45	12	315	1,40
L100-027	2F	St	27	81,86	81,10	87	58	31,8	45	12	315	1,47
L100-028	2F	St	28	84,89	84,13	91	58	31,8	45	12	316	1,58
L100-030	2F	St	30	90,96	90,20	97	70	31,8	45	12	318	1,78
L100-032	2F	St	32	97,03	96,26	103	70	31,8	45	12	320	2,11
L100-033	2F	St	33	100,05	99,29	106	70	31,8	45	12	321	2,23
L100-034	2F	St	34	103,08	102,32	111	70	31,8	45	12	322	2,39
L100-035	2F	St	35	106,12	105,35	111	70	31,8	45	12	322	2,45
L100-036	2F	St	36	109,15	108,39	115	70	31,8	45	12	323	2,59
L100-040	2F	St	40	121,29	120,51	127	70	31,8	45	12	327	3,13
L100-042	2F	St	42	127,34	126,58	135	70	31,8	45	12	328	3,43
L100-044	2F	St	44	133,40	132,64	140	70	31,8	45	12	330	3,72
L100-045	2F	St	45	136,44	135,67	143	70	31,8	45	12	331	3,89
L100-048	2F	St	48	145,53	144,77	152	70	31,8	45	12	334	4,38
L100-050	4	GG	50	151,60	150,83		70	31,8	45	14		2,41
L100-052	4	GG	52	157,66	156,90		70	31,8	45	14		2,55
L100-056	4	GG	56	169,79	169,02		70	31,8	45	14		2,65
L100-057	4	GG	57	172,82	172,06		70	31,8	45	14		2,71
L100-060	4	GG	60	181,91	181,15		75	31,8	45	14		3,11
L100-072	4	GG	72	218,29	217,53		75	31,8	45	14		3,65
L100-084	4	GG	84	254,68	253,92		75	31,8	45	14		4,12
L100-096	4	GG	96	291,06	290,30		75	31,8	45	14		4,60

Tandremsskiver for udboring - ISO 5294

H 075

Deling 1/2" (12,7 mm)
For rebreddede 3/4" (19,05 mm)



Materiale: Stål

Materiale: Støbejern (GG)


Varenr.	Type	Materiale	Tand- antal	dp	de	Df	Dm	F	L	d	Flange- nummer	Kg.
H075-014	2F	St	14	56,59	55,22	63	40	26,4	40	10	309	0,58
H075-015	2F	St	15	60,64	59,27	66	45	26,4	40	10	310	0,69
H075-016	2F	St	16	64,68	63,31	71	45	26,4	40	10	311	0,77
H075-017	2F	St	17	68,72	67,35	75	45	26,4	40	12	312	0,84
H075-018	2F	St	18	72,77	71,39	79	55	26,4	40	12	313	1,01
H075-019	2F	St	19	76,81	75,44	83	60	26,4	40	12	314	1,15
H075-020	2F	St	20	80,85	79,48	87	62	26,4	40	12	315	1,27
H075-021	2F	St	21	84,89	83,52	91	65	26,4	40	12	316	1,41
H075-022	2F	St	22	88,94	87,56	93	68	26,4	40	12	317	1,55
H075-023	2F	St	23	92,98	91,61	97	72	26,4	40	12	318	1,71
H075-024	2F	St	24	97,03	95,65	103	72	26,4	40	12	320	1,83
H075-025	2F	St	25	101,06	99,69	106	72	26,4	40	12	321	1,96
H075-026	2F	St	26	105,11	103,73	111	80	26,4	40	12	322	2,19
H075-027	2F	St	27	109,15	107,78	115	80	26,4	40	12	323	2,32
H075-028	2F	St	28	113,19	111,82	119	80	26,4	40	12	325	2,47
H075-030	2F	St	30	121,29	119,90	127	80	26,4	40	14	327	2,76
H075-032	2F	St	32	129,36	127,99	135	80	26,4	40	14	328	3,08
H075-033	2F	St	33	133,40	132,03	140	80	26,4	40	14	330	3,25
H075-034	2F	St	34	137,45	136,07	143	80	26,4	40	14	331	3,42
H075-035	2F	St	35	141,49	140,12	148	80	26,4	40	14	333	3,61
H075-036	2F	St	36	145,53	144,16	152	80	26,4	40	14	334	3,79
H075-038	2F	St	38	153,62	152,24	158	80	26,4	40	14	335	4,16
H075-040	2F	St	40	161,70	160,33	168	80	26,4	40	14	338	4,58
H075-044	4F	GG	44	177,87	176,50	184	80	26,4	40	18	339	2,57
H075-048	4F	GG	48	194,04	192,67	200	90	26,4	45	18	342	3,56
H075-050	4	GG	50	202,13	200,75		90	26,4	45	18		3,74



Tandremsskiver for udboring - ISO 5294

H 100

Deling 1/2" (12,7 mm)
For rebreddde 1" (25,4 mm)



Materiale: Stål


Materiale: Støbejern (GG)

Varenr.	Type	Materiale	Tand- antal	dp	de	Df	Dm	F	L	d	Flange- nummer	Kg.
H100-014	2F	St	14	56,59	55,22	63	40	31,8	45	12	309	0,65
H100-015	2F	St	15	60,64	59,27	66	45	31,8	45	12	310	0,77
H100-016	2F	St	16	64,68	63,31	71	45	31,8	45	12	311	0,87
H100-017	2F	St	17	68,72	67,35	75	45	31,8	45	12	312	0,97
H100-018	2F	St	18	72,77	71,39	79	55	31,8	45	12	313	1,16
H100-019	2F	St	19	76,81	75,44	83	60	31,8	45	14	314	1,30
H100-020	2F	St	20	80,85	79,48	87	62	31,8	45	14	315	1,44
H100-021	2F	St	21	84,89	83,52	91	65	31,8	45	14	316	1,60
H100-022	2F	St	22	88,94	87,56	93	68	31,8	45	14	317	1,76
H100-023	2F	St	23	92,98	91,61	97	72	31,8	45	14	318	1,94
H100-024	2F	St	24	97,03	95,65	103	72	31,8	45	14	320	2,09
H100-025	2F	St	25	101,06	99,69	106	72	31,8	45	14	321	2,24
H100-026	2F	St	26	105,11	103,73	111	80	31,8	45	14	322	2,49
H100-027	2F	St	27	109,15	107,78	115	80	31,8	45	14	323	2,66
H100-028	2F	St	28	113,19	111,82	119	80	31,8	45	14	325	2,83
H100-029	2F	St	29	117,23	115,86	123	80	31,8	45	14	326	3,01
H100-030	2F	St	30	121,29	119,90	127	80	31,8	45	14	327	3,19
H100-032	2F	St	32	129,36	127,99	135	80	31,8	45	14	328	3,57
H100-033	2F	St	33	133,40	132,03	140	80	31,8	45	14	330	3,79
H100-034	2F	St	34	137,45	136,07	143	80	31,8	45	14	331	3,99
H100-035	2F	St	35	141,49	140,12	148	80	31,8	45	14	333	4,20
H100-036	2F	St	36	145,53	144,16	152	80	31,8	45	14	334	4,44
H100-038	2F	St	38	153,62	152,24	158	80	31,8	45	14	335	4,90
H100-040	2F	St	40	161,70	160,33	168	80	31,8	45	14	338	5,39
H100-044	4F	GG	44	177,87	176,50	184	80	31,8	50	18	339	3,37
H100-045	4F	GG	45	181,91	180,54	192	80	31,8	50	18	340	3,57
H100-048	4F	GG	48	194,04	192,67	200	90	31,8	50	18	342	4,10
H100-050	4	GG	50	202,13	200,75		90	31,8	50	18		4,24
H100-052	4	GG	52	210,21	208,84		90	31,8	50	18		4,32
H100-058	4	GG	58	234,47	233,09		90	31,8	50	18		4,61
H100-060	4	GG	60	242,55	241,18		100	31,8	50	18		5,30
H100-070	4	GG	70	282,98	281,61		100	31,8	55	18		6,13
H100-072	4	GG	72	291,06	289,69		120	31,8	55	18		7,47
H100-084	4	GG	84	339,57	338,20		120	31,8	55	18		8,52
H100-096	4	GG	96	388,08	386,71		120	31,8	60	18		10,25
H100-120	4	GG	120	485,10	483,73		120	31,8	60	18		13,09

Tandremsskiver for udboring - ISO 5294

H 150

Deling 1/2" (12,7 mm)
For rebredder 1 1/2 (38,1 mm)



Materiale: Stål


Materiale: Støbejern (GG)

Varenr.	Type	Materiale	Tand- antal	dp	de	Df	Dm	F	L	d	Flange- nummer	Kg.
H150-014	2F	St	14	56,59	55,22	63	40	46,0	58	18	309	0,81
H150-015	2F	St	15	60,64	59,27	66	45	46,0	58	18	310	0,97
H150-016	2F	St	16	64,68	63,31	71	45	46,0	58	18	311	1,11
H150-017	2F	St	17	68,72	67,35	75	45	46,0	58	18	312	1,25
H150-018	2F	St	18	72,77	71,39	79	55	46,0	58	18	313	1,48
H150-019	2F	St	19	76,81	75,44	83	60	46,0	58	18	314	1,68
H150-020	2F	St	20	80,85	79,48	87	62	46,0	58	18	315	1,88
H150-021	2F	St	21	84,89	83,52	91	65	46,0	58	18	316	2,08
H150-022	2F	St	22	88,94	87,56	93	68	46,0	58	18	317	2,30
H150-023	2F	St	23	92,98	91,61	97	72	46,0	58	18	318	2,54
H150-024	2F	St	24	97,03	95,65	103	72	46,0	58	18	320	2,75
H150-025	2F	St	25	101,06	99,69	106	72	46,0	58	18	321	2,97
H150-026	2F	St	26	105,11	103,73	111	80	46,0	58	18	322	3,29
H150-027	2F	St	27	109,15	107,78	115	80	46,0	58	18	323	3,52
H150-028	2F	St	28	113,19	111,82	119	80	46,0	58	18	325	3,78
H150-029	2F	St	29	117,23	115,86	123	80	46,0	58	18	326	4,03
H150-030	2F	St	30	121,29	119,90	127	80	46,0	58	18	327	4,29
H150-032	2F	St	32	129,36	127,99	135	80	46,0	58	18	328	4,86
H150-033	2F	St	33	133,40	132,03	140	80	46,0	58	18	330	5,15
H150-034	2F	St	34	137,45	136,07	143	80	46,0	58	18	331	5,46
H150-035	2F	St	35	141,49	140,12	148	80	46,0	58	18	333	5,78
H150-036	2F	St	36	145,53	144,16	152	80	46,0	58	18	334	6,09
H150-038	2F	St	38	153,62	152,24	158	80	46,0	58	18	335	6,74
H150-040	2F	St	40	161,70	160,33	168	80	46,0	58	18	338	7,46
H150-044	4F	GG	44	177,87	176,50	184	80	46,0	58	18	339	4,29
H150-045	4F	GG	45	181,91	180,54	192	80	46,0	58	18	340	4,44
H150-048	4F	GG	48	194,04	192,67	200	90	46,0	65	18	342	5,41
H150-050	4	GG	50	202,13	200,75		90	46,0	65	18		5,59
H150-052	4	GG	52	210,21	208,84		90	46,0	65	18		5,79
H150-058	4	GG	58	234,47	233,09		90	46,0	65	18		6,15
H150-060	4	GG	60	242,55	241,18		100	46,0	65	18		7,08
H150-070	4	GG	70	282,98	281,61		100	46,0	65	24		7,77
H150-072	4	GG	72	291,06	289,69		120	46,0	65	24		9,70
H150-084	4	GG	84	339,57	338,20		120	46,0	65	24		10,99
H150-096	4	GG	96	388,08	386,71		120	46,0	65	24		12,24
H150-120	4	GG	120	485,10	483,73		120	46,0	65	24		16,17

Tandremsskiver for udboring - ISO 5294

H 200

Deling 1/2" (12,7 mm)
For rebredder 2" (50,8 mm)



Materiale: Stål


Materiale: Støbejern (GG)

Varenr.	Type	Materiale	Tand- antal	dp	de	Df	Dm	F	L	d	Flange- nummer	Kg.
H200-014	2F	St	14	56,59	55,22	63	40	58,7	70	18	309	1,10
H200-015	2F	St	15	60,64	59,27	66	45	58,7	70	18	310	1,33
H200-016	2F	St	16	64,68	63,31	71	45	58,7	70	18	311	1,54
H200-017	2F	St	17	68,72	67,35	75	45	58,7	70	18	312	1,69
H200-018	2F	St	18	72,77	71,39	79	55	58,7	70	18	313	1,95
H200-019	2F	St	19	76,81	75,44	83	60	58,7	70	18	314	2,20
H200-020	2F	St	20	80,85	79,48	87	62	58,7	70	18	315	2,44
H200-021	2F	St	21	84,89	83,52	91	65	58,7	70	18	316	2,70
H200-022	2F	St	22	88,94	87,56	93	68	58,7	70	18	317	2,97
H200-023	2F	St	23	92,98	91,61	97	72	58,7	70	18	318	3,25
H200-024	2F	St	24	97,03	95,65	103	72	58,7	70	18	320	3,56
H200-025	2F	St	25	101,06	99,69	106	72	58,7	70	18	321	3,81
H200-026	2F	St	26	105,11	103,73	111	80	58,7	70	18	322	4,18
H200-027	2F	St	27	109,15	107,78	115	80	58,7	70	18	323	4,49
H200-028	2F	St	28	113,19	111,82	119	80	58,7	70	18	325	4,81
H200-029	2F	St	29	117,23	115,86	123	80	58,7	70	18	326	5,14
H200-030	2F	St	30	121,29	119,90	127	80	58,7	70	18	327	5,47
H200-032	2F	St	32	129,36	127,99	135	80	58,7	70	18	328	6,17
H200-033	2F	St	33	133,40	132,03	140	80	58,7	70	18	330	6,56
H200-034	2F	St	34	137,45	136,07	143	80	58,7	70	18	331	6,94
H200-035	2F	St	35	141,49	140,12	148	80	58,7	70	18	333	7,34
H200-036	2F	St	36	145,53	144,16	152	80	58,7	70	18	334	7,75
H200-038	2F	St	38	153,62	152,24	158	80	58,7	70	18	335	8,62
H200-040	2F	St	40	161,70	160,33	168	80	58,7	70	18	338	9,50
H200-044	4F	GG	44	177,87	176,50	184	80	58,7	70	18	339	5,14
H200-045	4F	GG	45	181,91	180,54	192	80	58,7	70	18	340	5,38
H200-048	4F	GG	48	194,04	192,67	200	90	58,7	75	24	342	6,29
H200-050	4	GG	50	202,13	200,75		90	58,7	75	24		6,68
H200-052	4	GG	52	210,21	208,84		90	58,7	75	24		6,81
H200-058	4	GG	58	234,47	233,09		90	58,7	75	24		7,26
H200-060	4	GG	60	242,55	241,18		100	58,7	75	24		8,25
H200-070	4	GG	70	282,98	281,61		100	58,7	75	28		9,20
H200-072	4	GG	72	291,06	289,69		120	58,7	75	28		11,09
H200-084	4	GG	84	339,57	338,20		120	58,7	75	28		12,63
H200-096	4	GG	96	388,08	386,71		120	58,7	75	28		14,51
H200-120	4	GG	120	485,10	483,73		120	58,7	75	28		19,15

Tandremsskiver for udboring - ISO 5294

H 300

Deling 1/2" (12,7 mm)
For rembredde 3" (76,2 mm)



Materiale: Stål


Materiale: Støbejern (GG)

Varenr.	Type	Materiale	Tand- antal	dp	de	Df	Dm	F	L	d	Flange- nummer	Kg.
H300-014	2F	St	14	56,59	55,22	63	40	85,7	100	18	309	1,64
H300-015	2F	St	15	60,64	59,27	66	45	85,7	100	18	310	1,91
H300-016	2F	St	16	64,68	63,31	71	45	85,7	100	18	311	2,16
H300-017	2F	St	17	68,72	67,35	75	45	85,7	100	18	312	2,43
H300-018	2F	St	18	72,77	71,39	79	55	85,7	100	18	313	2,80
H300-019	2F	St	19	76,81	75,44	83	60	85,7	100	18	314	3,16
H300-020	2F	St	20	80,85	79,48	87	62	85,7	100	18	315	3,50
H300-021	2F	St	21	84,89	83,52	91	65	85,7	100	18	316	3,87
H300-022	2F	St	22	88,94	87,56	93	68	85,7	100	18	317	4,26
H300-023	2F	St	23	92,98	91,61	97	72	85,7	100	18	318	4,68
H300-024	2F	St	24	97,03	95,65	103	72	85,7	100	18	320	5,08
H300-025	2F	St	25	101,06	99,69	106	72	85,7	100	18	321	5,45
H300-026	2F	St	26	105,11	103,73	111	80	85,7	100	18	322	6,01
H300-027	2F	St	27	109,15	107,78	115	80	85,7	100	18	323	6,45
H300-028	2F	St	28	113,19	111,82	119	80	85,7	100	18	325	6,91
H300-030	2F	St	30	121,29	119,90	127	80	85,7	100	18	327	7,90
H300-032	2F	St	32	129,36	127,99	135	80	85,7	100	18	328	8,92
H300-033	2F	St	33	133,40	132,03	140	80	85,7	100	18	330	9,46
H300-034	2F	St	34	137,45	136,07	143	80	85,7	100	18	331	10,04
H300-035	2F	St	35	141,49	140,12	148	80	85,7	100	18	333	10,62
H300-036	2F	St	36	145,53	144,16	152	80	85,7	100	18	334	11,24
H300-038	2F	St	38	153,62	152,24	158	80	85,7	100	18	335	12,44
H300-040	2F	St	40	161,70	160,33	168	80	85,7	100	18	338	13,80
H300-044	4F	GG	44	177,87	176,50	184	80	85,7	100	24	339	7,22
H300-048	4F	GG	48	194,04	192,67	200	90	85,7	100	24	342	8,60
H300-050	4	GG	50	202,13	200,75		90	85,7	100	24		8,99
H300-058	4	GG	58	234,47	233,09		90	85,7	100	24		10,04
H300-060	4	GG	60	242,55	241,18		100	85,7	100	24		11,18
H300-072	4	GG	72	291,06	289,69		120	85,7	100	28		15,07
H300-084	4	GG	84	339,57	338,20		120	85,7	100	28		16,97
H300-096	4	GG	96	388,08	386,71		120	85,7	100	28		19,86
H300-120	4	GG	120	485,10	483,73		120	85,7	100	28		25,91

Tandremsskiver for udboring - ISO 5294

XH 200

Deling 7/8" (22,22 mm)
For rembredde 2" (50,8 mm)




Materiale: Stål

Varenr.	Type	Materiale	Tand- antal	dp	de	Df	Dm	F	L	d	Flange- nummer	Kg.
XH200-018	2F	St	18	127,34	124,55	138	100	65	80	24	401	6,00
XH200-019	2F	St	19	134,41	131,62	146	100	65	80	24	402	6,60
XH200-020	2F	St	20	141,49	138,69	154	100	65	80	24	403	7,30
XH200-021	2F	St	21	148,56	145,77	160	110	65	80	24	404	8,73
XH200-022	2F	St	22	155,64	152,84	168	110	65	80	24	405	9,55
XH200-024	2F	St	24	169,79	166,99	183	120	65	80	24	406	11,47
XH200-025	2F	St	25	176,86	174,07	188	120	65	80	24	407	12,46
XH200-026	2F	St	26	183,93	181,14	198	120	65	80	24	409	13,47
XH200-027	2F	St	27	191,01	188,22	200	120	65	80	24	410	14,42
XH200-028	2F	St	28	198,09	195,29	211	120	65	80	24	411	15,44
XH200-030	2F	St	30	212,23	209,44	226	120	65	80	24	412	17,69
XH200-032	2F	St	32	226,38	223,59	240	120	65	80	24	414	19,95
XH200-034	2F	St	34	240,53	237,74	256	120	65	80	24	415	22,75

Tandremsskiver for udboring - ISO 5294

XH 300

Deling 7/8" (22,22 mm)
For rembredde 3" (76,2 mm)




Materiale: Stål

Varenr.	Type	Materiale	Tand- antal	dp	de	Df	Dm	F	L	d	Flange- nummer	Kg.
XH300-018	2F	St	18	127,34	124,55	138	100	92	110	28	401	8,90
XH300-019	2F	St	19	134,41	131,62	146	100	92	110	28	402	9,20
XH300-020	2F	St	20	141,49	138,69	154	100	92	110	28	403	10,61
XH300-021	2F	St	21	148,56	145,77	160	110	92	110	28	404	11,87
XH300-022	2F	St	22	155,64	152,84	168	110	92	110	28	405	13,08
XH300-024	2F	St	24	169,79	166,99	183	120	92	110	28	406	15,77
XH300-025	2F	St	25	176,86	174,07	188	120	92	110	28	407	17,13
XH300-026	2F	St	26	183,93	181,14	198	120	92	110	28	409	18,55
XH300-027	2F	St	27	191,01	188,22	200	120	92	110	28	410	19,90
XH300-028	2F	St	28	198,09	195,29	211	150	92	110	28	411	22,27
XH300-030	2F	St	30	212,23	209,44	226	150	92	110	28	412	25,39
XH300-032	2F	St	32	226,38	223,59	240	150	92	110	28	414	28,73
XH300-034	2F	St	34	240,53	237,74	256	150	92	110	28	415	34,20

Tandremsskiver for udboring - ISO 5294

XH 400

Deling 7/8" (22,22 mm)
For rebredde 4" (101,6 mm)




Materiale: Stål

Varenr.	Type	Materiale	Tand- antal	dp	de	Df	Dm	F	L	d	Flange- nummer	Kg.
XH400-018	2F	St	18	127,34	124,55	138	100	119	132	32	401	9,60
XH400-019	2F	St	19	134,41	131,62	146	100	119	132	32	402	10,80
XH400-020	2F	St	20	141,49	138,69	154	100	119	132	32	403	12,87
XH400-021	2F	St	21	148,56	145,77	160	110	119	132	32	404	14,42
XH400-022	2F	St	22	155,64	152,84	168	110	119	132	32	405	15,44
XH400-024	2F	St	24	169,79	166,99	183	120	119	132	32	406	19,22
XH400-025	2F	St	25	176,86	174,07	188	120	119	132	32	407	21,05
XH400-026	2F	St	26	183,93	181,14	198	120	119	132	32	409	22,80
XH400-027	2F	St	27	191,01	188,22	200	120	119	132	32	410	24,66
XH400-028	2F	St	28	198,09	195,29	211	150	119	132	32	411	27,23
XH400-030	2F	St	30	212,23	209,44	226	150	119	132	32	412	31,30
XH400-032	2F	St	32	226,38	223,59	240	150	119	132	32	414	35,20
XH400-034	2F	St	34	240,53	237,74	256	150	119	132	32	415	40,00


Tandremsskiver for klembøsning

L 050


Deling 3/8" (9,525 mm)
For rebreddde 1/2" (12,7 mm)




10F



11F



13



14

Materiale: Stål


Materiale: Støbejern (GG)

Varenr.	Type	Materiale	Tandantal	Bøsning	Max. akselstørrelse mm	dp	de	Df	Dm	Di	F	L	R	Flange-nummer	Kg.
L050-018-1108	10F	St	18	1108	28	54,57	53,81	60	45		19,0	22,0	3	308	0,20
L050-019-1108	10F	St	19	1108	28	57,61	56,84	63	45		19,0	22,0	3	309	0,23
L050-020-1108	10F	St	20	1108	28	60,64	59,88	66	48		19,0	22,0	3	310	0,27
L050-021-1108	10F	St	21	1108	28	63,67	62,91	71	48		19,0	22,0	3	311	0,30
L050-022-1108	10F	St	22	1108	28	66,70	65,94	75	51		19,0	22,0	3	312	0,34
L050-023-1108	10F	St	23	1108	28	69,73	68,97	79	54		19,0	22,0	3	313	0,40
L050-024-1108	10F	St	24	1108	28	72,77	72,00	79	54		19,0	22,0	3	313	0,45
L050-025-1108	10F	St	25	1108	28	75,80	75,04	83	56		19,0	22,0	3	314	0,50
L050-026-1108	10F	St	26	1108	28	78,83	78,07	87	60		19,0	22,0	3	315	0,55
L050-027-1108	10F	St	27	1108	28	81,86	81,10	87	62		19,0	22,0	3	315	0,60
L050-028-1108	10F	St	28	1108	28	84,89	84,13	91	65		19,0	22,0	3	316	0,65
L050-030-1108	10F	St	30	1108	28	90,96	90,20	97	70		19,0	22,0	3	318	0,80
L050-032-1108	10F	St	32	1108	28	97,02	96,26	103	74		19,0	22,0	3	320	0,98
L050-036-1108	10F	St	36	1108	28	109,15	108,39	115	85		19,0	22,0	3	323	1,20
L050-040-1610	10F	St	40	1610	42	121,28	120,51	127	97		19,0	25,0	6	327	1,40
L050-048-1610	11F	St	48	1610	42	145,53	144,77	152	88	120	19,0	25,0	6	334	2,30
L050-060-1610	13	St	60	1610	42	181,91	181,15		92	166	19,0	25,0	3		2,20
L050-072-1610	14	GG	72	1610	42	218,30	217,53		92	202	19,0	25,0	3		2,10
L050-084-1610	14	GG	84	1610	42	254,68	253,90		92	236	19,0	25,0	3		2,46
L050-096-2012	14	GG	96	2012	50	291,06	290,30		106	270	19,0	32,0	6,5		3,36
L050-120-2012	14	GG	120	2012	50	363,83	363,07		106	343	19,0	32,0	6,5		4,44

Tandremsskiver for klembøsning

L 075

Deling 3/8" (9,525 mm)
For remsbredde 3/4" (19,05 mm)



Materiale: Stål


Materiale: Støbejern (GG)

Varenr.	Type	Materiale	Tandantal	Bøsning	Max. akselstørrelse mm	dp	de	Df	Dm	Di	F	L	R	Flange-nummer	Kg.
L075-018-1108	15F	St	18	1108	28	54,57	53,81	60			25,0	25,0		308	0,25
L075-019-1108	15F	St	19	1108	28	57,61	56,84	63			25,0	25,0		309	0,32
L075-020-1108	15F	St	20	1108	28	60,64	59,88	66			25,0	25,0		310	0,35
L075-021-1108	15F	St	21	1108	28	63,67	62,91	71			25,0	25,0		311	0,40
L075-022-1108	15F	St	22	1108	28	66,70	65,94	75			25,0	25,0		312	0,44
L075-023-1108	15F	St	23	1108	28	69,73	68,97	79			25,0	25,0		313	0,48
L075-024-1108	15F	St	24	1108	28	72,77	72,00	79			25,0	25,0		313	0,55
L075-025-1108	15F	St	25	1108	28	75,80	75,04	83			25,0	25,0		314	0,63
L075-026-1108	15F	St	26	1108	28	78,83	78,07	87			25,0	25,0		315	0,66
L075-027-1108	15F	St	27	1108	28	81,86	81,10	87			25,0	25,0		315	0,70
L075-028-1108	15F	St	28	1108	28	84,89	84,13	91			25,0	25,0		316	0,72
L075-030-1108	15F	St	30	1108	28	90,96	90,20	97			25,0	25,0		318	0,93
L075-032-1108	15F	St	32	1108	28	97,02	96,26	103			25,0	25,0		320	1,10
L075-036-1610	15F	St	36	1610	42	109,15	108,39	115			25,0	25,0		323	1,20
L075-040-1610	15F	St	40	1610	42	121,28	120,51	127			25,0	25,0		327	1,70
L075-048-1610	21F	St	48	1610	42	145,53	144,77	152	92	120	25,0	25,0		334	2,60
L075-060-1610	21	St	60	1610	42	181,91	181,15		92	166	25,0	25,0			3,00
L075-072-1610	22	GG	72	1610	42	218,30	217,53		92	202	25,0	25,0			2,33
L075-084-2012	14	GG	84	2012	50	254,68	253,90		106	236	25,0	32,0	3,5		3,55
L075-096-2012	14	GG	96	2012	50	291,06	290,30		106	270	25,0	32,0	3,5		3,95
L075-120-2012	14	GG	120	2012	50	363,83	363,07		106	343	25,0	32,0	3,5		5,61

Tandremsskiver for klembøsning

L 100

Deling 3/8" (9,525 mm)
For rebredder 1" (25,4 mm)



Materiale: Stål


Materiale: Støbejern (GG)

Varenr.	Type	Materiale	Tandantal	Bøsning	Max. akselstørrelse mm	dp	de	Df	Dm	Di	F	L	R	Flange-nummer	Kg.
L100-018-1108	16F	St	18	1108	28	54,57	53,81	60		38	31,0	22,0	9,0	308	0,20
L100-019-1108	16F	St	19	1108	28	57,61	56,84	63		38	31,0	22,0	9,0	309	0,32
L100-020-1108	16F	St	20	1108	28	60,64	59,88	66		45	31,0	22,0	9,0	310	0,41
L100-021-1108	16F	St	21	1108	28	63,67	62,91	71		45	31,0	22,0	9,0	311	0,45
L100-022-1108	16F	St	22	1108	28	66,70	65,94	75		48	31,0	22,0	9,0	312	0,47
L100-023-1108	16F	St	23	1108	28	69,73	68,97	79		52	32,0	22,0	10,0	313	0,50
L100-024-1108	16F	St	24	1108	28	72,77	72,00	79		52	32,0	22,0	10,0	313	0,64
L100-025-1108	16F	St	25	1108	28	75,80	75,04	83		54	32,0	22,0	10,0	314	0,68
L100-026-1108	16F	St	26	1108	28	78,83	78,07	87		60	32,0	22,0	10,0	315	0,70
L100-027-1108	16F	St	27	1108	28	81,86	81,10	87		60	32,0	22,0	10,0	315	0,83
L100-028-1108	16F	St	28	1108	28	84,89	84,13	91		65	32,0	22,0	10,0	316	0,85
L100-030-1210	16F	St	30	1210	32	90,96	90,20	97		71	32,0	25,0	7,0	318	0,90
L100-032-1210	16F	St	32	1210	32	97,02	96,26	103		75	32,0	25,0	7,0	320	1,05
L100-036-1610	16F	St	36	1610	42	109,15	108,39	115		86	32,0	25,0	7,0	323	1,40
L100-040-1610	16F	St	40	1610	42	121,28	120,51	127		96	32,0	25,0	7,0	327	1,65
L100-048-1610	17F	St	48	1610	42	145,53	144,77	152	92	120	32,0	25,0	7,0	334	2,80
L100-060-1610	19	St	60	1610	42	181,91	181,15		92	166	32,0	25,0	3,5		2,70
L100-072-2012	22	GG	72	2012	50	218,30	217,53		106	202	32,0	32,0			2,96
L100-084-2012	22	GG	84	2012	50	254,68	253,90		106	236	32,0	32,0			3,87
L100-096-2012	22	GG	96	2012	50	291,06	290,30		106	270	32,0	32,0			4,64
L100-120-2012	22	GG	120	2012	50	363,83	363,07		106	343	32,0	32,0			6,37

Tandremsskiver for klembøsning

H 100

Deling 3/8" (9,525 mm)
For rembredde 1" (25,4 mm)



Materiale: Stål


Materiale: Støbejern (GG)

Varenr.	Type	Materiale	Tandantal	Bøsning	Max. akselstørrelse mm	dp	de	Df	Dm	Di	F	L	R	Flange-nummer	Kg.
H100-016-1108	16F	St	16	1108	28	64,68	63,31	71		45	31,0	22,0	9,0	311	0,42
H100-018-1210	16F	St	18	1210	32	72,77	71,39	79		52	31,0	25,0	6,0	313	0,49
H100-019-1210	16F	St	19	1210	32	76,81	75,44	83		56	31,0	25,0	6,0	314	0,62
H100-020-1210	16F	St	20	1210	32	80,85	79,48	87		60	31,0	25,0	6,0	315	0,73
H100-021-1210	16F	St	21	1210	32	84,89	83,52	91		64	32,0	25,0	7,0	316	0,80
H100-022-1210	16F	St	22	1210	32	88,94	87,56	93		67	32,0	25,0	7,0	317	0,94
H100-023-1610	16F	St	23	1610	42	92,98	91,61	97		70	32,0	25,0	7,0	318	0,97
H100-024-1610	16F	St	24	1610	42	97,02	95,65	103		73,5	32,0	25,0	7,0	320	1,05
H100-025-1610	16F	St	25	1610	42	101,06	99,69	106		77	32,0	25,0	7,0	321	1,10
H100-026-1610	16F	St	26	1610	42	105,11	103,73	111		82	32,0	25,0	7,0	322	1,20
H100-027-1610	16F	St	27	1610	42	109,15	107,78	115		85	32,0	25,0	7,0	323	1,35
H100-028-1610	16F	St	28	1610	42	113,19	111,82	119		90,5	32,0	25,0	7,0	325	1,50
H100-030-1610	16F	St	30	1610	42	121,28	119,90	127		98	32,0	25,0	7,0	327	1,78
H100-032-1610	17F	St	32	1610	42	129,36	127,99	135	90	106	32,0	25,0	7,0	328	2,05
H100-036-1610	17F	St	36	1610	42	145,53	144,16	152	92	121	32,0	25,0	7,0	334	2,80
H100-040-1610	17F	St	40	1610	42	161,70	160,33	168	92	138	32,0	25,0	7,0	338	3,65
H100-044-2012	21F	St	44	2012	50	177,87	176,50	184	106	152	32,0	32,0		339	3,86
H100-048-2012	21F	St	48	2012	50	194,04	192,67	200	106	169	32,0	32,0		342	4,20
H100-060-2012	20	GG	60	2012	50	242,55	241,18		106	223	34,0	32,0	1,0		3,76
H100-072-2012	20	GG	72	2012	50	291,06	289,69		106	270	34,0	32,0	1,0		4,88
H100-084-2012	20	GG	84	2012	50	339,57	338,20		106	318	34,0	32,0	1,0		6,12
H100-096-2517	14	GG	96	2517	60	388,08	386,71		119	366	34,0	45,0	5,5		7,95
H100-120-2517	14	GG	120	2517	60	485,10	483,73		119	462	34,0	45,0	5,5		10,05


Tandremsskiver for klembøsning

H 150


Deling 1/2" (9,525 mm)
For rebreddde 1 1/2" (38,1 mm)



16F



17F



20

Materiale: Stål

Materiale: Støbejern (GG)


Varenr.	Type	Materiale	Tandantal	Bøsning	Max. akselstørrelse mm	dp	de	Df	Dm	Di	F	L	R	Flange-nummer	Kg.
H150-018-1210	16F	St	18	1210	32	72,77	71,39	79		52	45,0	25,0	20,0	313	0,60
H150-019-1210	16F	St	19	1210	32	76,81	75,44	83		56	45,0	25,0	20,0	314	0,72
H150-020-1210	16F	St	20	1210	32	80,85	79,48	87		60	45,0	25,0	20,0	315	0,83
H150-021-1210	16F	St	21	1210	32	84,89	83,52	91		64	45,0	25,0	20,0	316	1,00
H150-022-1210	16F	St	22	1210	32	88,94	87,56	93		67	45,0	25,0	20,0	317	1,25
H150-023-1610	16F	St	23	1610	42	92,98	91,61	97		70	45,0	25,0	20,0	318	1,05
H150-024-1610	16F	St	24	1610	42	97,02	95,65	103		73,5	45,0	25,0	20,0	320	1,10
H150-025-1610	16F	St	25	1610	42	101,06	99,69	106		77	45,0	25,0	20,0	321	1,30
H150-026-1610	16F	St	26	1610	42	105,11	103,73	111		82	45,0	25,0	20,0	322	1,42
H150-027-1610	16F	St	27	1610	42	109,15	107,78	115		85	45,0	25,0	20,0	323	1,65
H150-028-1610	16F	St	28	1610	42	113,19	111,82	119		90,5	45,0	25,0	20,0	325	1,88
H150-030-1610	16F	St	30	1610	42	121,28	119,90	127		98	45,0	25,0	20,0	327	2,05
H150-032-1610	17F	St	32	1610	42	129,36	127,99	135	90	106	45,0	25,0	20,0	328	2,35
H150-036-1610	17F	St	36	1610	42	145,53	144,16	152	92	121	45,0	25,0	20,0	334	3,20
H150-040-1610	17F	St	40	1610	42	161,70	160,33	168	92	138	45,0	25,0	20,0	338	4,10
H150-044-2012	17F	St	44	2012	50	177,87	176,50	184	106	152	45,0	32,0	13,0	339	4,50
H150-048-2012	17F	St	48	2012	50	194,04	192,67	200	106	169	45,0	32,0	13,0	342	4,80
H150-060-2012	20	GG	60	2012	50	242,55	241,18		106	223	46,0	32,0	7,0		4,51
H150-072-2012	20	GG	72	2012	50	291,06	289,69		106	270	46,0	32,0	7,0		6,16
H150-084-2012	20	GG	84	2012	50	339,57	338,20		106	320	46,0	32,0	7,0		7,40
H150-096-2517	20	GG	96	2517	60	388,08	386,71		119	366	46,0	45,0	0,5		9,87
H150-120-2517	20	GG	120	2517	60	485,10	483,73		119	462	46,0	45,0	0,5		13,50




Tandremsskiver for klembøsning

H 200


Deling 1/2" (9,525 mm)
For rembredde 2" (50,8 mm)



16F



17F



20

Materiale: Stål


Materiale: Støbejern (GG)

Varenr.	Type	Materiale	Tandantal	Bøsning	Max. akselstørrelse mm	dp	de	Df	Dm	Di	F	L	R	Flange-nummer	Kg.
H200-018-1210	16F	St	18	1210	32	72,77	71,39	79		52	58,0	25,0	33,0	313	0,84
H200-019-1210	16F	St	19	1210	32	76,81	75,44	83		56	58,0	25,0	33,0	314	0,96
H200-020-1610	16F	St	20	1610	42	80,85	79,48	87		60	58,0	25,0	33,0	315	0,93
H200-021-1610	16F	St	21	1610	42	84,89	83,52	91		64	58,0	25,0	33,0	316	1,07
H200-022-1610	16F	St	22	1610	42	88,94	87,56	93		67	58,0	25,0	33,0	317	1,25
H200-023-1610	16F	St	23	1610	42	92,98	91,61	97		70	58,0	25,0	33,0	318	1,40
H200-024-1610	16F	St	24	1610	42	97,02	95,65	103		73,5	58,0	25,0	33,0	320	1,55
H200-025-1610	16F	St	25	1610	42	101,06	99,69	106		77	58,0	25,0	33,0	321	1,71
H200-026-1610	16F	St	26	1610	42	105,11	103,73	111		82	58,0	25,0	33,0	322	1,84
H200-027-1610	16F	St	27	1610	42	109,15	107,78	115		85	58,0	25,0	33,0	323	2,06
H200-028-1610	16F	St	28	1610	42	113,19	111,82	119		90,5	58,0	25,0	33,0	325	2,17
H200-030-1610	16F	St	30	1610	42	121,28	119,90	127		98	58,0	25,0	33,0	327	2,60
H200-032-2012	16F	St	32	2012	50	129,36	127,99	135		106	58,0	32,0	26,0	328	2,95
H200-036-2012	17F	St	36	2012	50	145,53	144,16	152	102	121	58,0	32,0	26,0	334	3,62
H200-040-2012	17F	St	40	2012	50	161,70	160,33	168	106	138	58,0	32,0	26,0	338	4,33
H200-044-2012	17F	St	44	2012	50	177,87	176,50	184	106	152	58,0	32,0	26,0	339	5,33
H200-048-2517	17F	St	48	2517	60	194,04	192,67	200	119	169	58,0	45,0	13,0	342	6,47
H200-060-2517	20	GG	60	2517	60	242,55	241,18		119	223	60,0	45,0	7,5		5,86
H200-072-2517	20	GG	72	2517	60	291,06	289,69		119	270	60,0	45,0	7,5		7,42
H200-084-2517	20	GG	84	2517	60	339,57	338,20		119	320	60,0	45,0	7,5		8,73
H200-096-2517	20	GG	96	2517	60	388,08	386,71		119	366	60,0	45,0	7,5		10,83
H200-120-2517	20	GG	120	2517	60	485,10	483,73		119	462	60,0	45,0	7,5		14,95


Tandremsskiver for klembøsning

H 300


Deling 1/2" (9,525 mm)
For rembredde 3" (76,2 mm)



18F



19F



20


Materiale: Stål

Materiale: Støbejern (GG)

Varenr.	Type	Materiale	Tandantal	Bøsning	Max. akselstørrelse mm	dp	de	Df	Dm	Di	F	L	R	Flange-nummer	Kg.
H300-020-1615	18F	St	20	1615	42	80,85	79,48	87		64,5	84,0	38,0	23,0	315	1,22
H300-021-1615	18F	St	21	1615	42	84,89	83,52	91		65	84,0	38,0	23,0	316	1,52
H300-022-1615	18F	St	22	1615	42	88,94	87,56	93		67	84,0	38,0	23,0	317	1,80
H300-023-1615	18F	St	23	1615	42	92,98	91,61	97		70	84,0	38,0	23,0	318	2,04
H300-024-1615	18F	St	24	1615	42	97,02	95,65	103		73,5	84,0	38,0	23,0	320	2,29
H300-025-1615	18F	St	25	1615	42	101,06	99,69	106		77	84,0	38,0	23,0	321	2,54
H300-026-1615	18F	St	26	1615	42	105,11	103,73	111		82	84,0	38,0	23,0	322	2,73
H300-027-2012	18F	St	27	2012	50	109,15	107,78	115		85	84,0	32,0	26,0	323	2,54
H300-028-2012	18F	St	28	2012	50	113,19	111,82	119		90,5	84,0	32,0	26,0	325	2,68
H300-030-2012	18F	St	30	2012	50	121,28	119,90	127		98	84,0	32,0	26,0	327	3,21
H300-032-2517	18F	St	32	2517	60	129,36	127,99	135		106	84,0	45,0	19,5	328	3,58
H300-036-2517	18F	St	36	2517	60	145,53	144,16	152		121	84,0	45,0	19,5	334	4,99
H300-040-2517	18F	St	40	2517	60	161,70	160,33	168		138	84,0	45,0	19,5	338	6,50
H300-044-2517	19F	St	44	2517	60	177,87	176,50	184	119	152	86,0	45,0	20,5	339	7,55
H300-048-2517	19F	St	48	2517	60	194,04	192,67	200	119	169	86,0	45,0	20,5	342	8,66
H300-060-2517	20	GG	60	2517	60	242,55	241,18		119	223	86,0	45,0	20,5		7,42
H300-072-2517	20	GG	72	2517	60	291,06	289,69		119	270	86,0	45,0	20,5		9,33
H300-084-2517	20	GG	84	2517	60	339,57	338,20		119	320	86,0	45,0	20,5		11,19
H300-096-3030	20	GG	96	3030	75	388,08	386,71		150	362	86,0	76,0	5,0		17,96
H300-120-3030	20	GG	120	3030	75	485,10	483,73		150	460	86,0	76,0	5,0		22,23

HTD Tandremsskiver for udboring

3M
Deling 3 mm
For rembredde 9 mm




Materiale: Aluminium

Varenr.	Type	Materiale	Tand-antal	dp	de	Df	Dm	Di	F	L	d	Flange-nummer	Kg.
HTD10-3M09	1F	Al	10	9,55	8,79	13,0	12,0		10,2	17,5		100	0,01
HTD12-3M09	1F	Al	12	11,46	10,70	15,0	15,0		10,2	17,5		101	0,01
HTD14-3M09	1F	Al	14	13,37	12,61	16,0	16,0		10,2	17,5		102	0,01
HTD15-3M09	1F	Al	15	14,32	13,56	18,0	17,5		10,2	17,5		104	0,01
HTD16-3M09	2F	Al	16	15,28	14,52	18,0	10,0		12,8	20,6	4	104	0,01
HTD18-3M09	2F	Al	18	17,19	16,43	19,5	11,0		12,8	20,6	6	105	0,01
HTD20-3M09	2F	Al	20	19,10	18,34	23,0	13,0		12,8	20,6	6	107	0,01
HTD21-3M09	2F	Al	21	20,05	19,29	25,0	14,0		12,8	20,6	6	108	0,01
HTD22-3M09	2F	Al	22	21,01	20,25	25,0	14,0		12,8	20,6	6	108	0,01
HTD24-3M09	2F	Al	24	22,92	22,16	25,0	14,0		12,8	20,6	6	108	0,02
HTD26-3M09	2F	Al	26	24,83	24,07	28,0	16,0		12,8	20,6	6	109	0,02
HTD28-3M09	2F	Al	28	26,74	25,98	32,0	18,0		12,8	20,6	6	110	0,02
HTD30-3M09	2F	Al	30	28,65	27,89	32,0	20,0		12,8	20,6	6	110	0,03
HTD32-3M09	2F	Al	32	30,56	29,80	36,0	22,0		12,8	20,6	6	111	0,03
HTD36-3M09	2F	Al	36	34,38	33,62	38,0	26,0		13,4	22,2	6	112	0,05
HTD40-3M09	2F	Al	40	38,20	37,44	42,0	28,0		13,4	22,2	6	113	0,06
HTD44-3M09	2F	Al	44	42,02	41,26	48,0	33,0		13,4	22,2	6	114	0,07
HTD48-3M09	2	Al	48	45,84	45,08		33,0		13,4	22,2	8		0,11
HTD60-3M09	2	Al	60	57,30	56,54		33,0		13,4	22,2	8		0,11
HTD72-3M09	2	Al	72	68,76	68,00		33,0		13,4	22,2	8		0,15



HTD Tandremsskiver for udboring

3M
Deling 3 mm
For rebreddde 15 mm



Materiale: Aluminium



Varenr.	Type	Materiale	Tand- antal	dp	de	Df	Dm	Di	F	L	d	Flange- nummer	Kg.
HTD10-3M15	1F	Al	10	9,55	8,79	13,0	12,0		17,0	26,0		100	0,01
HTD12-3M15	1F	Al	12	11,46	10,70	15,0	15,0		17,0	26,0		101	0,01
HTD14-3M15	1F	Al	14	13,37	12,61	16,0	16,0		17,0	26,0		102	0,01
HTD15-3M15	1F	Al	15	14,32	13,56	18,0	17,5		17,0	26,0		104	0,01
HTD16-3M15	2F	Al	16	15,28	14,52	18,0	10,0		19,5	26,0	4	104	0,01
HTD18-3M15	2F	Al	18	17,19	16,43	19,5	11,0		19,5	26,0	6	105	0,01
HTD20-3M15	2F	Al	20	19,10	18,34	23,0	13,0		19,5	26,0	6	107	0,01
HTD21-3M15	2F	Al	21	20,05	19,29	25,0	14,0		19,5	26,0	6	108	0,02
HTD22-3M15	2F	Al	22	21,01	20,25	25,0	14,0		19,5	26,0	6	108	0,02
HTD24-3M15	2F	Al	24	22,92	22,16	25,0	14,0		19,5	26,0	6	108	0,02
HTD26-3M15	2F	Al	26	24,83	24,07	28,0	16,0		19,5	26,0	6	109	0,03
HTD28-3M15	2F	Al	28	26,74	25,98	32,0	18,0		19,5	26,0	6	110	0,03
HTD30-3M15	2F	Al	30	28,65	27,89	32,0	20,0		19,5	26,0	6	110	0,04
HTD32-3M15	2F	Al	32	30,56	29,80	36,0	22,0		19,5	26,0	6	111	0,04
HTD36-3M15	2F	Al	36	34,38	33,62	38,0	26,0		20,0	30,0	6	112	0,06
HTD40-3M15	2F	Al	40	38,20	37,44	42,0	28,0		20,0	30,0	6	113	0,08
HTD44-3M15	2F	Al	44	42,02	41,26	48,0	33,0		20,0	30,0	6	114	0,10
HTD48-3M15	2	Al	48	45,84	45,08		33,0		20,0	30,0	8		0,10
HTD60-3M15	2	Al	60	57,30	56,54		33,0		20,0	30,0	8		0,15
HTD72-3M15	2	Al	72	68,76	68,00		33,0		20,0	30,0	8		0,21



HTD Tandremsskiver for udboring

5M

Deling 5 mm
For rembredde 9 mm




Materiale: Stål

Materiale: Aluminium

Varenr.	Type	Materiale	Tand- antal	dp	de	Df	Dm	Di	F	L	d	Flange- nummer	Kg.
HTD12-5M09	2F	St	12	19,10	17,96	23	12,5		14,5	20,0	6	202	0,03
HTD14-5M09	2F	St	14	22,28	21,14	25	13,5		14,5	20,0	6	203	0,04
HTD15-5M09	2F	St	15	23,87	22,73	28	16,0		14,5	20,0	6	204	0,05
HTD16-5M09	2F	St	16	25,46	24,32	28	16,5		14,5	20,0	6	204	0,06
HTD18-5M09	2F	St	18	28,65	27,51	32	20,0		14,5	20,0	6	205	0,07
HTD20-5M09	2F	St	20	31,83	30,69	36	23,0		14,5	22,5	6	206	0,10
HTD21-5M09	2F	St	21	33,42	32,28	38	24,0		14,5	22,5	6	207	0,12
HTD22-5M09	2F	St	22	35,01	33,87	38	25,5		14,5	22,5	6	207	0,13
HTD24-5M09	2F	St	24	38,20	37,06	42	27,0		14,5	22,5	6	208	0,15
HTD26-5M09	2F	St	26	41,38	40,24	44	30,0		14,5	22,5	6	209	0,18
HTD28-5M09	2F	St	28	44,56	43,42	48	30,5		14,5	22,5	6	210	0,21
HTD30-5M09	2F	St	30	47,75	46,60	51	35,0		14,5	22,5	6	211	0,25
HTD32-5M09	2F	St	32	50,93	49,79	54	38,0		14,5	22,5	8	212	0,28
HTD36-5M09	2F	St	36	57,30	56,16	60	38,0		14,5	22,5	8	214	0,33
HTD40-5M09	2F	St	40	63,66	62,52	71	38,0		14,5	22,5	8	217	0,42
HTD44-5M09	2	Al	44	70,03	68,89		38,0		14,5	25,5	8		0,17
HTD48-5M09	2	Al	48	76,39	75,25		45,0		14,5	25,5	8		0,18
HTD60-5M09	2	Al	60	95,49	94,35		45,0		14,5	25,5	8		0,23
HTD72-5M09	2	Al	72	114,59	113,45		45,0		14,5	25,5	8		0,42

HTD Tandremsskiver for udboring

5M
Deling 5 mm
For rebredde 15 mm




Materiale: Stål

Materiale: Aluminium

Varenr.	Type	Materiale	Tand- antal	dp	de	Df	Dm	Di	F	L	d	Flange- nummer	Kg.
HTD12-5M15	2F	St	12	19,10	17,96	23	12,5		20,5	26	6	202	0,03
HTD14-5M15	2F	St	14	22,28	21,14	25	13,5		20,5	26	6	203	0,04
HTD15-5M15	2F	St	15	23,87	22,73	28	16,0		20,5	26	6	204	0,05
HTD16-5M15	2F	St	16	25,46	24,32	28	16,5		20,5	26	6	204	0,06
HTD18-5M15	2F	St	18	28,65	27,51	32	20,0		20,5	26	6	205	0,09
HTD20-5M15	2F	St	20	31,83	30,69	36	23,0		20,5	26	6	206	0,12
HTD21-5M15	2F	St	21	33,42	32,28	38	24,0		20,5	26	6	207	0,14
HTD22-5M15	2F	St	22	35,01	33,87	38	25,5		20,5	26	6	207	0,15
HTD24-5M15	2F	St	24	38,20	37,06	42	27,0		20,5	28	6	208	0,19
HTD26-5M15	2F	St	26	41,38	40,24	44	30,0		20,5	28	6	209	0,23
HTD28-5M15	2F	St	28	44,56	43,42	48	30,5		20,5	28	6	210	0,26
HTD30-5M15	2F	St	30	47,75	46,60	51	35,0		20,5	28	6	211	0,32
HTD32-5M15	2F	St	32	50,93	49,79	54	38,0		20,5	28	8	212	0,35
HTD36-5M15	2F	St	36	57,30	56,16	60	38,0		20,5	28	8	214	0,43
HTD40-5M15	2F	St	40	63,66	62,52	71	38,0		20,5	28	8	217	0,52
HTD44-5M15	2	Al	44	70,03	68,89		38,0		20,5	30	8		0,23
HTD48-5M15	2	Al	48	76,39	75,25		38,0		20,5	30	8		0,29
HTD60-5M15	2	Al	60	95,49	94,35		50,0		20,5	30	8		0,30
HTD72-5M15	2	Al	72	114,59	113,45		50,0		20,5	30	8		0,59

HTD Tandremsskiver for udboring

5M
Deling 5 mm
For rebredder 25 mm



Materiale: Stål


Materiale: Aluminium

Varenr.	Type	Materiale	Tand- antal	dp	de	Df	Dm	Di	F	L	d	Flange- nummer	Kg.
HTD12-5M25	2F	St	12	19,10	17,96	23	12,5		30,5	36	6	202	0,05
HTD14-5M25	2F	St	14	22,28	21,14	25	13,5		30,5	36	6	203	0,08
HTD15-5M25	2F	St	15	23,87	22,73	28	16,0		30,5	36	6	204	0,09
HTD16-5M25	2F	St	16	25,46	24,32	28	16,5		30,5	36	6	204	0,11
HTD18-5M25	2F	St	18	28,65	27,51	32	20,0		30,5	36	6	205	0,13
HTD20-5M25	2F	St	20	31,83	30,69	36	23,0		30,5	36	6	206	0,17
HTD21-5M25	2F	St	21	33,42	32,28	38	24,0		30,5	38	6	207	0,20
HTD22-5M25	2F	St	22	35,01	33,87	38	25,5		30,5	38	6	207	0,22
HTD24-5M25	2F	St	24	38,20	37,06	42	27,0		30,5	38	6	208	0,26
HTD26-5M25	2F	St	26	41,38	40,24	44	30,0		30,5	38	6	209	0,32
HTD28-5M25	2F	St	28	44,56	43,42	48	30,5		30,5	38	6	210	0,37
HTD30-5M25	2F	St	30	47,75	46,60	51	35,0		30,5	38	6	211	0,42
HTD32-5M25	2F	St	32	50,93	49,79	54	38,0		30,5	38	8	212	0,48
HTD36-5M25	2F	St	36	57,30	56,16	60	38,0		30,5	38	8	214	0,59
HTD40-5M25	2F	St	40	63,66	62,52	71	38,0		30,5	38	8	217	0,75
HTD44-5M25	2	Al	44	70,03	68,89		38,0		30,5	40	8		0,32
HTD48-5M25	2	Al	48	76,39	75,25		38,0		30,5	40	8		0,28
HTD60-5M25	2	Al	60	95,49	94,35		50,0		30,5	40	8		0,44
HTD72-5M25	2	Al	72	114,59	113,45		50,0		30,5	40	8		0,85

HTD Tandremsskiver for udboring

8M

Deling 8 mm
For rebredder 20 mm



Materiale: Stål

Materiale: Støbejern (GG)


Varenr.	Type	Materiale	Tand-antal	dp	de	Df	Dm	Di	F	L	d	Flange-nummer	Kg.
HTD22-8M20	2F	St	22	56,02	54,65	60	43		28	38	12	308	0,54
HTD24-8M20	2F	St	24	61,11	59,74	66	45		28	38	12	310	0,65
HTD26-8M20	2F	St	26	66,21	64,84	71	48		28	38	12	311	0,80
HTD28-8M20	2F	St	28	71,30	70,08	75	50		28	38	14	312	0,88
HTD30-8M20	2F	St	30	76,39	75,13	83	55		28	38	14	314	1,00
HTD32-8M20	2F	St	32	81,49	80,16	87	60		28	38	14	315	1,20
HTD34-8M20	2F	St	34	86,58	85,21	91	66		28	38	14	316	1,40
HTD36-8M20	2F	St	36	91,67	90,30	98	70		28	38	14	319	1,60
HTD38-8M20	2F	St	38	96,77	95,39	103	75		28	38	14	320	1,70
HTD40-8M20	2F	St	40	101,86	100,49	106	75		28	38	14	321	1,85
HTD44-8M20	2F	St	44	112,05	110,67	119	75		28	38	14	325	2,10
HTD48-8M20	2F	St	48	122,23	120,86	127	75		28	38	14	327	2,50
HTD56-8M20	3F	St	56	142,60	141,23	148	80	116	28	38	14	333	2,82
HTD64-8M20	3F	St	64	162,97	161,60	168	80	137	28	38	14	338	3,22
HTD72-8M20	3F	St	72	183,35	181,97	192	80	158	28	38	14	340	3,74
HTD80-8M20	3	GG	80	203,72	202,35		90	180	28	38	14		3,78
HTD90-8M20	3	GG	90	229,18	227,81		90	204	28	38	14		4,57
* HTD112-8M20	4	GG	112	285,21	283,83		90	254	28	38	18		
* HTD144-8M20	4	GG	144	366,69	365,32		90	336	28	38	20		
* HTD168-8M20	4	GG	168	427,81	426,44		100	400	28	38	20		
* HTD192-8M20	4	GG	192	488,92	487,55		100	460	28	38	20		

* Fremstilles på anmodning

HTD Tandremsskiver for udboring

8M

Deling 8 mm
For rebredder 30 mm



Materiale: Stål


Materiale: Støbejern (GG)

Varenr.	Type	Materiale	Tand-antal	dp	de	Df	Dm	Di	F	L	d	Flange-nummer	Kg.
HTD22-8M30	2F	St	22	56,02	54,65	60	43		38	48	12	308	0,75
HTD24-8M30	2F	St	24	61,11	59,74	66	45		38	48	12	310	0,90
HTD26-8M30	2F	St	26	66,21	64,84	71	48		38	48	12	311	1,10
HTD28-8M30	2F	St	28	71,30	70,08	75	50		38	48	14	312	1,20
HTD30-8M30	2F	St	30	76,39	75,13	83	55		38	48	14	314	1,32
HTD32-8M30	2F	St	32	81,49	80,16	87	60		38	48	14	315	1,55
HTD34-8M30	2F	St	34	86,58	85,21	91	66		38	48	14	316	1,80
HTD36-8M30	2F	St	36	91,67	90,30	98	70		38	48	14	319	2,10
HTD38-8M30	2F	St	38	96,77	95,39	103	75		38	48	14	320	2,30
HTD40-8M30	2F	St	40	101,86	100,49	106	75		38	48	14	321	2,47
HTD44-8M30	2F	St	44	112,05	110,67	119	75		38	48	14	325	2,95
HTD48-8M30	2F	St	48	122,23	120,86	127	75		38	48	14	327	3,30
HTD56-8M30	3F	St	56	142,60	141,23	148	90	116	38	48	14	333	4,02
HTD64-8M30	3F	St	64	162,97	161,60	168	90	137	38	48	14	338	4,60
HTD72-8M30	3F	St	72	183,35	181,97	192	95	158	38	48	14	340	5,41
HTD80-8M30	3	GG	80	203,72	202,35		100	180	38	48	14		5,23
HTD90-8M30	3	GG	90	229,18	227,81		100	204	38	48	14		6,42
HTD112-8M30	4	GG	112	285,21	283,83		100	254	38	48	18		8,12
HTD144-8M30	4	GG	144	366,69	365,32		100	336	38	48	20		10,36
HTD168-8M30	4	GG	168	427,81	426,44		100	400	38	48	20		12,37
HTD192-8M30	4	GG	192	488,92	487,55		100	460	38	48	20		14,31


HTD Tandremsskiver for udboring

8M


Deling 8 mm
For rebredder 50 mm




2F



7F



7



8

Materiale: Stål


Materiale: Støbejern (GG)

Varenr.	Type	Materiale	Tand- antal	dp	de	Df	Dm	Di	F	L	d	Flange- nummer	Kg.
HTD22-8M50	2F	St	22	56,02	54,65	60	43		60	70	12	308	1,10
HTD24-8M50	2F	St	24	61,11	59,74	66	45		60	70	12	310	1,30
HTD26-8M50	2F	St	26	66,21	64,84	71	48		60	70	12	311	1,60
HTD28-8M50	2F	St	28	71,30	70,08	75	50		60	70	14	312	1,70
HTD30-8M50	2F	St	30	76,39	75,13	83	55		60	70	14	314	2,00
HTD32-8M50	2F	St	32	81,49	80,16	87	60		60	70	14	315	2,35
HTD34-8M50	2F	St	34	86,58	85,21	91	66		60	70	14	316	2,80
HTD36-8M50	2F	St	36	91,67	90,30	98	70		60	70	14	319	3,10
HTD38-8M50	2F	St	38	96,77	95,39	103	75		60	70	14	320	3,30
HTD40-8M50	2F	St	40	101,86	100,49	106	75		60	70	14	321	3,60
HTD44-8M50	2F	St	44	112,05	110,67	119	75		60	70	14	325	4,40
HTD48-8M50	2F	St	48	122,23	120,86	127	75		60	70	14	327	5,00
HTD56-8M50	7F	St	56	142,60	141,23	148	90	116	60	60	18	333	5,68
HTD64-8M50	7F	St	64	162,97	161,60	168	100	137	60	60	18	338	6,93
HTD72-8M50	7F	St	72	183,35	181,97	192	100	158	60	60	18	340	7,95
HTD80-8M50	7	GG	80	203,72	202,35		110	180	60	60	18		7,96
HTD90-8M50	7	GG	90	229,18	227,81		110	204	60	60	18		9,20
HTD112-8M50	8	GG	112	285,21	283,83		110	254	60	60	18		12,16
HTD144-8M50	8	GG	144	366,69	365,32		110	336	60	60	20		15,68
HTD168-8M50	8	GG	168	427,81	426,44		120	400	60	60	20		18,99
HTD192-8M50	8	GG	192	488,92	487,55		130	460	60	60	20		24,09


HTD Tandremsskiver for udboring

8M


Deling 8 mm
For rembredde 85 mm



2F



7F



8

Materiale: Stål

Materiale: Støbejern (GG)




Varenr.	Type	Materiale	Tandantal	dp	de	Df	Dm	Di	F	L	d	Flange-nummer	Kg.
HTD22-8M85	2F	St	22	56,02	54,65	60	43		95	105	12	308	1,60
HTD24-8M85	2F	St	24	61,11	59,74	66	45		95	105	12	310	1,95
HTD26-8M85	2F	St	26	66,21	64,84	71	48		95	105	12	311	2,30
HTD28-8M85	2F	St	28	71,30	70,08	75	50		95	105	14	312	2,60
HTD30-8M85	2F	St	30	76,39	75,13	83	55		95	105	14	314	3,10
HTD32-8M85	2F	St	32	81,49	80,16	87	60		95	105	14	315	3,70
HTD34-8M85	2F	St	34	86,58	85,21	91	66		95	105	14	316	4,00
HTD36-8M85	2F	St	36	91,67	90,30	98	70		95	105	14	319	4,70
HTD38-8M85	2F	St	38	96,77	95,39	103	75		95	105	14	320	5,10
HTD40-8M85	2F	St	40	101,86	100,49	106	75		95	105	14	321	5,40
HTD44-8M85	2F	St	44	112,05	110,67	119	75		95	105	14	325	6,70
HTD48-8M85	2F	St	48	122,23	120,86	127	75		95	105	14	327	7,20
HTD56-8M85	2F	St	56	142,60	141,23	148	90		95	105	18	333	11,48
HTD64-8M85	7F	St	64	162,97	161,60	168	100	137	95	95	18	338	11,02
HTD72-8M85	7F	St	72	183,35	181,97	192	100	158	95	95	18	340	13,45
HTD80-8M85	8	GG	80	203,72	202,35		110	180	95	95	20		12,36
HTD90-8M85	8	GG	90	229,18	227,81		110	204	95	95	20		14,38
HTD112-8M85	8	GG	112	285,21	283,83		110	254	95	95	24		18,66
HTD144-8M85	8	GG	144	366,69	365,32		110	341	95	95	24		23,00
* HTD168-8M85	8	GG	168	427,81	426,44		120	400	95	95	24		
* HTD192-8M85	8	GG	192	488,92	487,55		130	460	95	95	24		

* Fremstilles på anmodning

HTD Tandremsskiver for udboring

14M

Deling 14 mm
For rebredder 40 mm



Materiale: Stål

Materiale: Støbejern (GG)


Varenr.	Type	Materiale	Tand- antal	dp	de	Df	Dm	Di	F	L	d	Flange- nummer	Kg.
HTD28-14M40	2F	St	28	124,78	122,12	127	100		54	69	24	400	4,80
HTD30-14M40	2F	St	30	133,69	130,99	138	100		54	69	24	401	5,60
HTD32-14M40	2F	St	32	142,60	139,88	154	100		54	69	24	403	6,20
HTD34-14M40	2F	St	34	151,52	148,79	160	100		54	69	24	404	6,90
HTD36-14M40	2F	St	36	160,43	157,68	168	100		54	69	24	405	7,70
HTD38-14M40	2F	St	38	169,34	166,60	183	120		54	69	24	406	8,90
HTD40-14M40	2F	St	40	178,25	175,49	188	120		54	69	24	407	9,80
HTD44-14M40	2F	St	44	196,08	193,28	211	120		54	69	24	411	12,00
HTD48-14M40	3F	GG	48	213,90	211,11	226	135	170	54	69	24	412	11,98
HTD56-14M40	3F	GG	56	249,55	246,76	256	135	207	54	69	28	416	14,01
HTD64-14M40	3F	GG	64	285,21	282,41	296	135	240	54	69	28	418	16,65
HTD72-14M40	4	GG	72	320,86	318,06		135	278	54	69	28		15,52
HTD80-14M40	4	GG	80	356,51	353,71		135	314	54	69	28		17,23
HTD90-14M40	4	GG	90	401,07	398,28		135	358	54	69	28		19,40
HTD112-14M40	4	GG	112	499,11	496,32		135	456	54	69	28		24,14
* HTD144-14M40	4	GG	144	641,71	638,92		135	600	54	69	28		
* HTD168-14M40	4	GG	168	748,66	745,87		135	706	54	69	28		
* HTD192-14M40	4	GG	192	855,62	852,82		135	813	54	69	28		

* Fremstilles på anmodning

HTD Tandremsskiver for udboring

14M

Deling 14 mm
For rebredder 55 mm



Materiale: Stål




Materiale: Støbejern (GG)

Varenr.	Type	Materiale	Tand-antal	dp	de	Df	Dm	Di	F	L	d	Flange-nummer	Kg.
HTD28-14M55	2F	St	28	124,78	122,12	127	100		70	85	24	400	5,70
HTD30-14M55	2F	St	30	133,69	130,99	138	100		70	85	24	401	7,10
HTD32-14M55	2F	St	32	142,60	139,88	154	100		70	85	24	403	7,90
HTD34-14M55	2F	St	34	151,52	148,79	160	100		70	85	24	404	9,33
HTD36-14M55	2F	St	36	160,43	157,68	168	100		70	85	24	405	10,49
HTD38-14M55	2F	St	38	169,34	166,60	183	120		70	85	24	406	12,11
HTD40-14M55	2F	St	40	178,25	175,49	188	120		70	85	24	407	13,30
HTD44-14M55	2F	St	44	196,08	193,28	211	120		70	85	24	411	16,12
HTD48-14M55	7F	GG	48	213,90	211,11	226	135	170	70	70	24	412	13,50
HTD56-14M55	7F	GG	56	249,55	246,76	256	135	207	70	70	28	416	15,78
HTD64-14M55	7F	GG	64	285,21	282,41	296	135	240	70	70	28	418	19,04
HTD72-14M55	8	GG	72	320,86	318,06		135	278	70	70	28		18,41
HTD80-14M55	8	GG	80	356,51	353,71		135	314	70	70	28		20,27
HTD90-14M55	8	GG	90	401,07	398,28		135	358	70	70	28		22,98
HTD112-14M55	8	GG	112	499,11	496,32		135	456	70	70	28		29,29
HTD144-14M55	8	GG	144	641,71	638,92		135	600	70	70	28		36,00
HTD168-14M55	8	GG	168	748,66	745,87		135	706	70	70	28		40,00
HTD192-14M55	8	GG	192	855,62	852,82		135	813	70	70	28		47,50



HTD Tandremsskiver for udboring

14M
 Deling 14 mm
 For rebredder 85 mm




Materiale: Stål

Materiale: Støbejern (GG)

Varenr.	Type	Materiale	Tand- antal	dp	de	Df	Dm	Di	F	L	d	Flange- nummer	Kg.
HTD28-14M85	2F	St	28	124,78	122,12	127	100		102	117	24	400	8,77
HTD30-14M85	2F	St	30	133,69	130,99	138	100		102	117	24	401	10,13
HTD32-14M85	2F	St	32	142,60	139,88	154	100		102	117	24	403	11,65
HTD34-14M85	2F	St	34	151,52	148,79	160	100		102	117	24	404	13,15
HTD36-14M85	2F	St	36	160,43	157,68	168	100		102	117	32	405	14,48
HTD38-14M85	2F	St	38	169,34	166,60	183	120		102	117	32	406	16,62
HTD40-14M85	2F	St	40	178,25	175,49	188	135		102	117	32	407	18,84
HTD44-14M85	2F	St	44	196,08	193,28	211	135		102	117	32	411	22,86
HTD48-14M85	2F	St	48	213,90	211,11	226	150		102	117	32	412	27,58
HTD56-14M85	7F	GG	56	249,55	246,76	256	150	207	102	102	32	416	24,19
HTD64-14M85	7F	GG	64	285,21	282,41	296	150	240	102	102	32	418	28,57
HTD72-14M85	8	GG	72	320,86	318,06		150	278	102	102	32		28,26
HTD80-14M85	8	GG	80	356,51	353,71		150	314	102	102	32		31,00
HTD90-14M85	8	GG	90	401,07	398,28		150	358	102	102	32		35,00
HTD112-14M85	8	GG	112	499,11	496,32		150	456	102	102	32		43,50
HTD144-14M85	8	GG	144	641,71	638,92		150	600	102	102	32		50,00
HTD168-14M85	8	GG	168	748,66	745,87		150	706	102	102	32		63,00
HTD192-14M85	8	GG	192	855,62	852,82		165	813	102	102	32		76,00

HTD Tandremsskiver for udboring

14M
Deling 14 mm
For rembredde 115 mm




Materiale: Stål
Materiale: Støbejern (GG)

Varenr.	Type	Materiale	Tand- antal	dp	de	Df	Dm	Di	F	L	d	Flange- nummer	Kg.
HTD28-14M115	2F	St	28	124,78	122,12	127	100		133	148	32	400	10,75
HTD30-14M115	2F	St	30	133,69	130,99	138	100		133	148	32	401	12,52
HTD32-14M115	2F	St	32	142,60	139,88	154	100		133	148	32	403	14,48
HTD34-14M115	2F	St	34	151,52	148,79	160	100		133	148	32	404	16,45
HTD36-14M115	2F	St	36	160,43	157,68	168	120		133	148	32	405	18,99
HTD38-14M115	2F	St	38	169,34	166,60	183	120		133	148	32	406	21,31
HTD40-14M115	2F	St	40	178,25	175,49	188	135		133	148	32	407	24,04
HTD44-14M115	2F	St	44	196,08	193,28	211	140		133	148	32	411	29,41
HTD48-14M115	2F	St	48	213,90	211,11	226	150		133	148	32	412	35,00
HTD56-14M115	2F	St	56	249,55	246,76	256	150		133	148	32	416	48,00
HTD64-14M115	7F	GG	64	285,21	282,41	296	150	240	133	133	32	418	36,00
HTD72-14M115	8	GG	72	320,86	318,06	150		278	133	133	32		36,00
HTD80-14M115	8	GG	80	356,51	353,71	150		314	133	133	32		40,00
HTD90-14M115	8	GG	90	401,07	398,28	150		358	133	133	32		45,00
HTD112-14M115	8	GG	112	499,11	496,32	150		456	133	133	32		55,50
HTD144-14M115	8	GG	144	641,71	638,92	165		600	133	133	32		71,00
HTD168-14M115	8	GG	168	748,66	745,87	165		706	133	133	32		83,00
HTD192-14M115	8	GG	192	855,62	852,82	165		813	133	133	32		96,00

HTD Tandremsskiver for udboring

14M
 Deling 14 mm
 For rembredde 170 mm



Materiale: Stål
 Materiale: Støbejern (GG)


Varenr.	Type	Materiale	Tand- antal	dp	de	Df	Dm	Di	F	L	d	Flange- nummer	Kg.
HTD28-14M170	2F	St	28	124,78	122,12	127	100		187	202	32	400	14,79
HTD30-14M170	2F	St	30	133,69	130,99	138	100		187	202	32	401	17,24
HTD32-14M170	2F	St	32	142,60	139,88	154	100		187	202	32	403	19,92
HTD34-14M170	2F	St	34	151,52	148,79	160	100		187	202	32	404	22,72
HTD36-14M170	2F	St	36	160,43	157,68	168	120		187	202	32	405	26,07
HTD38-14M170	2F	St	38	169,34	166,60	183	135		187	202	32	406	29,71
HTD40-14M170	2F	St	40	178,25	175,49	188	140		187	202	32	407	33,50
* HTD44-14M170	2F	St	44	196,08	193,28	211	160		187	202	32	411	
* HTD48-14M170	2F	St	48	213,90	211,11	226	160		187	202	32	412	
* HTD56-14M170	2F	St	56	249,55	246,76	256	160		187	202	32	416	
* HTD64-14M170	2F	St	64	285,21	282,41	296	180		187	202	32	418	
* HTD72-14M170	7	GG	72	320,86	318,06		180	278	187	187	32		
HTD80-14M170	7	GG	80	356,51	353,71		180	314	187	187	32		71,00
HTD90-14M170	8	GG	90	401,07	398,28		180	358	187	187	38		73,00
HTD112-14M170	8	GG	112	499,11	496,32		200	456	187	187	38		95,00
HTD144-14M170	8	GG	144	641,71	638,92		220	600	187	187	38		114,00
HTD168-14M170	8	GG	168	748,66	745,87		220	706	187	187	38		142,00
* HTD192-14M170	8	GG	192	855,62	852,82		220	813	187	187	38		

* Fremstilles på anmodning


HTD Tandremsskiver for taper bøsning

5M


Deling 5 mm
For rembredde 15 mm




10



10F



13



15F


Materiale: Stål

Varenr.	Type	Materiale	Tand-antal	Bøsning	Max. akselstørrelse mm	dp	de	Df	Dm	Di	F	L	R	Flange-nummer	Kg.
HTD34-5M15/1008	15F	St	34	1008	25	54,11	52,97	57			22	22		213	0,20
HTD36-5M15/1108	15F	St	36	1108	25	57,30	56,15	60			22	22		214	0,25
HTD38-5M15/1108	15F	St	38	1108	25	60,48	59,34	66			22	22		216	0,30
HTD40-5M15/1108	15F	St	40	1108	25	63,66	62,52	71			22	22		217	0,35
HTD44-5M15/1108	15F	St	44	1108	25	70,03	68,89	75			22	22		218	0,40
HTD48-5M15/1210	10F	St	48	1210	32	76,39	75,25	83	59		22	25	3	219	0,46
HTD56-5M15/1210	10F	St	56	1210	32	89,13	87,99	93	70		22	25	3	222	0,60
HTD64-5M15/1210	10F	St	64	1210	32	101,86	100,72	106	80		22	25	3	224	0,80
HTD72-5M15/1610	10	St	72	1610	42	114,59	113,45		92		22	25	3		1,20
HTD80-5M15/1610	10	St	80	1610	42	127,32	126,18		92		22	25	3		1,76
HTD90-5M15/1610	10	St	90	1610	42	143,24	142,10		92		22	25	3		2,32
HTD112-5M15/2012	10	St	112	2012	50	178,25	177,11		110		20	32	12		3,72
HTD136-5M15/2012	13	St	136	2012	50	216,45	215,31		110	199	20	32	6		3,82

HTD Tandremsskiver for taper bøsning

8M

Deling 8 mm
For rebredder 20 mm



Materiale: Stål








Materiale: Støbejern (GG)

Varenr.	Type	Materiale	Tandantal	Bøsning	Max. akselstørrelse mm	dp	de	Df	Dm	Di	F	L	R	Flange-nummer	Kg.
HTD22-8M20/1008	16F	St	22	1008	25	56,02	54,65	60		37	28	22	6	308	0,25
HTD24-8M20/1108	16F	St	24	1108	25	61,11	59,74	66		44	28	22	6	310	0,30
HTD26-8M20/1108	16F	St	26	1108	25	66,21	64,84	71		45	28	22	6	311	0,36
HTD28-8M20/1108	16F	St	28	1108	25	71,30	70,08	75		50	28	22	6	312	0,45
HTD30-8M20/1108	16F	St	30	1108	25	76,39	75,13	83		58	28	22	6	314	0,55
HTD32-8M20/1610	16F	St	32	1610	42	81,49	80,16	87		63	28	25	3	315	0,43
HTD34-8M20/1610	16F	St	34	1610	42	86,58	85,21	91		64	28	25	3	316	0,57
HTD36-8M20/1610	16F	St	36	1610	42	91,67	90,30	98		68	28	25	3	319	0,70
HTD38-8M20/1610	16F	St	38	1610	42	96,77	95,39	103		72	28	25	3	320	0,82
HTD40-8M20/1610	16F	St	40	1610	42	101,86	100,49	106		76	28	25	3	321	1,10
HTD44-8M20/2012	10F	St	44	2012	50	112,05	110,67	119	92		28	32	4	325	1,20
HTD48-8M20/2012	10F	St	48	2012	50	122,23	120,86	127	96		28	32	4	327	1,65
HTD56-8M20/2012	10F	St	56	2012	50	142,60	141,23	148	110		28	32	4	333	2,50
HTD64-8M20/2012	11F	St	64	2012	50	162,97	161,60	168	110	137	28	32	4	338	2,60
HTD72-8M20/2012	11F	St	72	2012	50	183,35	181,97	192	110	158	28	32	4	340	3,40
HTD80-8M20/2012	11	GG	80	2012	50	203,72	202,35		110	180	28	32	4		3,60
HTD90-8M20/2012	11	GG	90	2012	50	229,18	227,81		110	204	28	32	4		4,10



HTD Tandremsskiver for taper bøsning

8M
Deling 8 mm
For rembredde 30 mm




Materiale: Stål

Materiale: Støbejern (GG)


Varenr.	Type	Materiale	Tand-antal	Bøsning	Max. akselstørrelse mm	dp	de	Df	Dm	Di	F	L	R	Flange-nummer	Kg.
HTD22-8M30/1008	16F	St	22	1008	25	56,02	54,65	60		37	38	22	16	308	0,33
HTD24-8M30/1108	16F	St	24	1108	25	61,11	59,74	66		44	38	22	16	310	0,40
HTD26-8M30/1108	16F	St	26	1108	25	66,21	64,84	71		44	38	22	16	311	0,45
HTD28-8M30/1210	16F	St	28	1210	32	71,30	70,08	75		50	38	25	13	312	0,50
HTD30-8M30/1615	15F	St	30	1615	42	76,39	75,13	83			38	38		314	0,55
HTD32-8M30/1615	15F	St	32	1615	42	81,49	80,16	87			38	38		315	0,60
HTD34-8M30/1615	15F	St	34	1615	42	86,58	85,21	91			38	38		316	0,80
HTD36-8M30/1615	15F	St	36	1615	42	91,67	90,30	98			38	38		319	1,00
HTD38-8M30/1615	15F	St	38	1615	42	96,77	95,39	103			38	38		320	1,10
HTD40-8M30/1615	15F	St	40	1615	42	101,86	100,49	106			38	38		321	1,34
HTD44-8M30/2012	18F	St	44	2012	50	112,05	110,67	119		86	38	32	3	325	1,30
HTD48-8M30/2012	18F	St	48	2012	50	122,23	120,86	127		90	38	32	3	327	1,80
HTD56-8M30/2012	18F	St	56	2012	50	142,60	141,23	148		110	38	32	3	333	3,80
HTD64-8M30/2517	10F	St	64	2517	60	162,97	161,60	168	125		38	45	7	338	4,30
HTD72-8M30/2517	11F	St	72	2517	60	183,35	181,97	192	125	158	38	45	7	340	4,40
HTD80-8M30/2517	11	GG	80	2517	60	203,72	202,35		125	180	38	45	7		4,65
HTD90-8M30/2517	11	GG	90	2517	60	229,18	227,81		125	204	38	45	7		5,80
HTD112-8M30/2517	12	GG	112	2517	60	285,21	283,83		125	254	38	45	7		6,20
HTD144-8M30/2517	12	GG	144	2517	60	366,69	365,32		125	336	38	45	7		9,00

HTD Tandremsskiver for taper bøsning


8M
Deling 8 mm
For rembredde 50 mm




14




16F




18F




19F



19



20



18

Materiale: Stål

Materiale: Støbejern (GG)


Varenr.	Type	Materiale	Tandantal	Bøsning	Max. akselstørrelse mm	dp	de	Df	Dm	Di	F	L	R	Flange-nummer	Kg.
HTD28-8M50/1210	16F	St	28	1210	32	71,30	70,08	75		50	60	25	35	312	0,60
HTD30-8M50/1615	16F	St	30	1615	42	76,39	75,13	83		58	60	38	22	314	0,65
HTD32-8M50/1615	16F	St	32	1615	42	81,49	80,16	87		63	60	38	22	315	0,80
HTD34-8M50/1615	16F	St	34	1615	42	86,58	85,21	91		65	60	38	22	316	1,08
HTD36-8M50/1615	16F	St	36	1615	42	91,67	90,30	98		68	60	38	22	319	1,35
HTD38-8M50/1615	16F	St	38	1615	42	96,77	95,39	103		72	60	38	22	320	1,65
HTD40-8M50/2012	18F	St	40	2012	50	101,86	100,49	106		80	60	32	14	321	1,70
HTD44-8M50/2012	18F	St	44	2012	50	112,05	110,67	119		86	60	32	14	325	1,80
HTD48-8M50/2012	18F	St	48	2012	50	122,23	120,86	127		95	60	32	14	327	2,35
HTD56-8M50/2517	18F	St	56	2517	60	142,60	141,23	148		116	60	45	7,5	333	3,35
HTD64-8M50/2517	18F	St	64	2517	60	162,97	161,60	168		136	60	45	7,5	338	4,90
HTD72-8M50/2517	19F	St	72	2517	60	183,35	181,97	192	125	158	60	45	7,5	340	6,90
HTD80-8M50/3020	18	GG	80	3020	75	203,72	202,35			180	60	51	4,5		8,90
HTD90-8M50/3020	19	GG	90	3020	75	229,18	227,81		160	204	60	51	4,5		9,90
HTD112-8M50/3020	19	GG	112	3020	75	285,21	283,83		170	254	60	51	4,5		12,10
HTD144-8M50/3020	20	GG	144	3020	75	366,69	365,32		170	336	60	51	4,5		15,40
HTD168-8M50/3020	14	GG	168	3525	90	427,81	426,44		198	395	60	65	2,5		22,80
HTD192-8M50/3020	14	GG	192	3525	90	488,92	487,55		198	455	60	65	2,5		26,50




HTD Tandremsskiver for taper bøsning

8M


Deling 8 mm
For rebreddde 85 mm




18F



18



19



20

Materiale: Stål


Materiale: Støbejern (GG)

Varenr.	Type	Materiale	Tandantal	Bøsning	Max. akselstørrelse mm	dp	de	Df	Dm	Di	F	L	R	Flange-nummer	Kg.
HTD34-8M85/1615	18F	St	34	1615	42	86,58	85,22	91		65	95	38	28,5	316	1,50
HTD36-8M85/1615	18F	St	36	1615	42	91,67	90,30	98		68	95	38	28,5	319	1,90
HTD38-8M85/1615	18F	St	38	1615	42	96,77	95,39	103		72	95	38	28,5	320	2,20
HTD40-8M85/2012	18F	St	40	2012	50	101,86	100,49	106		80	95	32	31,5	321	1,90
HTD44-8M85/2012	18F	St	44	2012	50	112,05	110,67	119		86	95	32	31,5	325	2,30
HTD48-8M85/2517	18F	St	48	2517	60	122,23	120,86	127		97	95	45	25	327	2,70
HTD56-8M85/2517	18F	St	56	2517	60	142,60	141,23	148		116	95	45	25	333	4,50
HTD64-8M85/2517	18F	St	64	2517	60	162,97	161,60	168		136	95	45	25	338	6,30
HTD72-8M85/3020	18F	St	72	3020	75	183,35	181,97	192		150	95	51	22	340	8,10
HTD80-8M85/3020	18	GG	80	3020	75	203,72	202,35			180	95	51	22		10,20
HTD90-8M85/3020	19	GG	90	3020	75	229,18	227,81		170	204	95	51	22		11,20
HTD112-8M85/3020	19	GG	112	3020	75	285,21	283,83		170	254	95	51	22		15,00
HTD144-8M85/3525	20	GG	144	3525	90	366,69	365,32		198	336	95	65	15		20,20
HTD168-8M85/3525	20	GG	168	3525	90	427,81	426,44		198	395	95	65	15		22,40
HTD192-8M85/3525	20	GG	192	3525	90	488,92	487,55		198	455	95	65	15		28,20


HTD Tandremsskiver for taper bøsning

14M


Deling 14 mm
For rembredde 40 mm




18F



19F



19




20

Materiale: Stål

Materiale: Støbejern (GG)


Varenr.	Type	Materiale	Tandantal	Bøsning	Max. akselstørrelse mm	dp	de	Df	Dm	Di	F	L	R	Flange-nummer	Kg.
HTD28-14M40/2012	18F	St	28	2012	50	124,78	122,12	127		94	54	32	11	400	2,10
HTD30-14M40/2012	18F	St	30	2012	50	133,69	130,99	138		98	54	32	11	401	2,70
HTD32-14M40/2012	18F	St	32	2012	50	142,60	139,88	154		108	54	32	11	403	3,40
HTD34-14M40/2517	18F	St	34	2517	60	151,52	148,79	160		110	54	45	4,5	404	3,90
HTD36-14M40/2517	18F	St	36	2517	60	160,43	157,68	168		120	54	45	4,5	405	4,80
HTD38-14M40/2517	18F	St	38	2517	60	169,34	166,60	183		130	54	45	4,5	406	5,40
HTD40-14M40/2517	18F	St	40	2517	60	178,25	175,49	188		138	54	45	4,5	407	6,00
HTD44-14M40/3020	18F	St	44	3020	75	196,08	193,28	211		155	54	51	1,5	411	7,50
HTD48-14M40/3020	18F	St	48	3020	75	213,90	211,11	226		170	54	51	1,5	412	8,50
HTD56-14M40/3020	18F	GG	56	3020	75	249,55	246,76	256		208	54	51	1,5	416	10,10
HTD64-14M40/3020	19F	GG	64	3020	75	285,21	282,41	296	170	240	54	51	1,5	418	13,40
HTD72-14M40/3020	19	GG	72	3020	75	320,86	318,06		170	280	54	51	1,5		15,00
HTD80-14M40/3020	20	GG	80	3020	75	356,51	353,71		170	315	54	51	1,5		16,00
HTD90-14M40/3020	20	GG	90	3020	75	401,07	398,28		170	360	54	51	1,5		18,00
HTD112-14M40/3020	20	GG	112	3020	75	499,11	496,32		170	457	54	51	1,5		25,50
HTD144-14M40/3020	20	GG	144	3020	75	641,71	638,92		170	600	54	51	1,5		32,00
HTD168-14M40/3020	20	GG	168	3020	75	748,66	745,87		170	706	54	51	1,5		43,50
HTD192-14M40/3020	20	GG	192	3020	75	855,62	852,82		170	813	54	51	1,5		49,50



HTD Tandremsskiver for taper bøsning

14M


Deling 14 mm
For rembredde 55 mm



Materiale: Stål

Materiale: Støbejern (GG)


Varenr.	Type	Materiale	Tandantal	Bøsning	Max. akselstørrelse mm	dp	de	Df	Dm	Di	F	L	R	Flange-nummer	Kg.
HTD28-14M55/2012	18F	St	28	2012	50	124,78	122,12	127		94	70	32	19	400	2,20
HTD30-14M55/2517	18F	St	30	2517	60	133,69	130,99	138		100	70	45	12,5	401	2,70
HTD32-14M55/2517	18F	St	32	2517	60	142,60	139,88	154		108	70	45	12,5	403	3,60
HTD34-14M55/2517	18F	St	34	2517	60	151,52	148,79	160		110	70	45	12,5	404	4,50
HTD36-14M55/2517	18F	St	36	2517	60	160,43	157,68	168		120	70	45	12,5	405	5,20
HTD38-14M55/2517	18F	St	38	2517	60	169,34	166,60	183		130	70	45	12,5	406	6,20
HTD40-14M55/2517	18F	St	40	2517	60	178,25	175,49	188		138	70	45	12,5	407	6,90
HTD44-14M55/3020	18F	St	44	3020	75	196,08	193,28	211		155	70	51	9,5	411	8,60
HTD48-14M55/3020	18F	St	48	3020	75	213,90	211,11	226		170	70	51	9,5	412	10,50
HTD56-14M55/3020	18F	GG	56	3020	75	249,55	246,76	256		208	70	51	9,5	416	13,50
HTD64-14M55/3020	19F	GG	64	3020	75	285,21	282,41	296	170	240	70	51	9,5	418	14,50
HTD72-14M55/3020	19	GG	72	3020	75	320,86	318,06		170	280	70	51	9,5		16,30
HTD80-14M55/3020	20	GG	80	3020	75	356,51	353,71		170	315	70	51	9,5		17,50
HTD90-14M55/3020	20	GG	90	3020	75	401,07	398,28		170	360	70	51	9,5		20,00
HTD112-14M55/3020	20	GG	112	3020	75	499,11	496,32		170	457	70	51	9,5		28,20
HTD144-14M55/3020	20	GG	144	3020	75	641,71	638,92		170	600	70	51	9,5		36,00
HTD168-14M55/3020	20	GG	168	3020	75	748,66	745,87		170	706	70	51	9,5		48,50
HTD192-14M55/3020	20	GG	192	3020	75	855,62	852,82		170	813	70	51	9,5		52,00



HTD Tandremsskiver for taper bøsning

14M

Deling 14 mm
For rebredder 85 mm



Materiale: Stål


Materiale: Støbejern (GG)

Varenr.	Type	Materiale	Tandantal	Bøsning	Max. akselstørrelse mm	dp	de	Df	Dm	Di	F	L	R	Flange-nummer	Kg.
HTD28-14M85/2012	18F	St	28	2517	60	124,78	122,12	127		98	102	45	28,5	400	2,70
HTD30-14M85/2517	18F	St	30	2517	60	133,69	130,99	138		100	102	45	28,5	401	3,80
HTD32-14M85/2517	18F	St	32	2517	60	142,60	139,88	154		108	102	45	28,5	403	4,70
HTD34-14M85/2517	18F	St	34	2517	60	151,52	148,79	160		110	102	45	28,5	404	6,00
HTD36-14M85/3020	18F	St	36	3020	75	160,43	157,68	168		125	102	51	25,5	405	5,70
HTD38-14M85/3020	18F	St	38	3020	75	169,34	166,60	183		130	102	51	25,5	406	6,80
HTD40-14M85/3020	18F	St	40	3020	75	178,25	175,49	188		138	102	51	25,5	407	8,00
HTD44-14M85/3030	18F	St	44	3030	75	196,08	193,28	211		155	102	76	13	411	11,70
HTD48-14M85/3030	18F	St	48	3030	75	213,90	211,11	226		170	102	76	13	412	15,00
HTD56-14M85/3525	18F	GG	56	3525	90	249,55	246,76	256		210	102	65	18,5	416	19,00
HTD64-14M85/3525	19F	GG	64	3525	90	285,21	282,41	296	190	240	102	65	18,5	418	23,50
HTD72-14M85/3525	19	GG	72	3525	90	320,86	318,06		190	280	102	65	18,5		25,00
HTD80-14M85/3525	20	GG	80	3525	90	356,51	353,71		190	315	102	65	18,5		26,00
HTD90-14M85/3525	20	GG	90	3525	90	401,07	398,28		190	360	102	65	18,5		28,00
HTD112-14M85/3525	20	GG	112	3525	90	499,11	496,32		190	457	102	65	18,5		36,00
HTD144-14M85/3525	20	GG	144	3525	90	641,71	638,92		190	600	102	65	18,5		48,00
HTD168-14M85/3525	20	GG	168	3525	90	748,66	745,87		190	706	102	65	18,5		60,00
HTD192-14M85/4040	22	GG	192	4040	100	855,62	852,82		230	813	102	102			85,00

HTD Tandremsskiver for taper bøsning

14M


Deling 14 mm
For rebredder 115 mm



Materiale: Stål

Materiale: Støbejern (GG)


Varenr.	Type	Materiale	Tandantal	Bøsning	Max. akselstørrelse mm	dp	de	Df	Dm	Di	F	L	R	Flange-nummer	Kg.
HTD28-14M115/2517	18F	St	28	2517	60	124,78	122,12	127		98	133	45	44	400	3,80
HTD30-14M115/2517	18F	St	30	2517	60	133,69	130,99	138		100	133	45	44	401	5,00
HTD32-14M115/2517	18F	St	32	2517	60	142,60	139,88	154		108	133	45	44	403	6,80
HTD34-14M115/2517	18F	St	34	2517	60	151,52	148,79	160		110	133	45	44	404	6,90
HTD36-14M115/3020	18F	St	36	3020	75	160,43	157,68	168		125	133	51	41	405	7,00
HTD38-14M115/3020	18F	St	38	3020	75	169,34	166,60	183		130	133	51	41	406	8,50
HTD40-14M115/3020	18F	St	40	3020	75	178,25	175,49	188		138	133	51	41	407	9,10
HTD44-14M115/3030	18F	St	44	3030	75	196,08	193,28	211		155	133	76	28,5	411	13,00
HTD48-14M115/3030	18F	St	48	3030	75	213,90	211,11	226		170	133	76	28,5	412	16,00
HTD56-14M115/3535	18F	GG	56	3535	90	249,55	246,76	256		210	133	89	22	416	24,00
HTD64-14M115/3535	19F	GG	64	3535	90	285,21	282,41	296	190	240	133	89	22	418	32,00
HTD72-14M115/3535	19	GG	72	3535	90	320,86	318,06		190	280	133	89	22		31,00
HTD80-14M115/3535	20	GG	80	3535	90	356,51	353,71		190	315	133	89	22		32,00
HTD90-14M115/3535	20	GG	90	3535	90	401,07	398,28		190	360	133	89	22		37,00
HTD112-14M115/3535	20	GG	112	3535	90	499,11	496,32		190	457	133	89	22		45,00
HTD144-14M115/4040	20	GG	144	4040	100	641,71	638,92		230	600	133	102	15,5		63,00
HTD168-14M115/4040	20	GG	168	4040	100	748,66	745,87		230	706	133	102	15,5		77,50
HTD192-14M115/4040	20	GG	192	4040	100	855,62	852,82		230	813	133	102	15,5		95,00




HTD Tandremsskiver for taper bøsning

14M


Deling 14 mm
For rembredde 170 mm



18F



19



20


Materiale: Stål

Materiale: Støbejern (GG)

Varenr.	Type	Materiale	Tandantal	Bøsning	Max. akselstørrelse mm	dp	de	Df	Dm	Di	F	L	R	Flange-nummer	Kg.
HTD38-14M170/3030	18F	St	38	3030	75	169,34	166,60	183		130	187	76	55,5	406	11,70
HTD40-14M170/3030	18F	St	40	3030	75	178,25	175,49	188		138	187	76	55,5	407	13,00
HTD44-14M170/3535	18F	St	44	3535	90	196,08	193,28	211		155	187	89	49	411	15,00
HTD48-14M170/3535	18F	St	48	3535	90	213,90	211,11	226		170	187	89	49	412	19,00
HTD56-14M170/3535	18F	St	56	3535	90	249,55	246,76	256		210	187	89	49	416	28,50
HTD64-14M170/4040	18F	GG	64	4040	100	285,21	282,41	296		240	187	102	42,5	418	41,00
HTD72-14M170/4040	19	GG	72	4040	100	320,86	318,06		230	280	187	102	42,5		47,00
HTD80-14M170/4040	19	GG	80	4040	100	356,51	353,71		230	315	187	102	42,5		48,00
HTD90-14M170/4040	20	GG	90	4040	100	401,07	398,28		230	360	187	102	42,5		52,50
HTD112-14M170/5050	20	GG	112	5050	125	499,11	496,32		265	457	187	127	30		74,50
HTD144-14M170/5050	20	GG	144	5050	125	641,71	638,92		265	600	187	127	30		91,00
HTD168-14M170/5050	20	GG	168	5050	125	748,66	745,87		265	706	187	127	30		116,00
HTD192-14M170/7070	20	GG	192	5050	125	855,62	852,82		265	813	187	127	30		134,00

Metriske tandremsskiver for udboring - Type T - DIN 7721-2

T 2,5
 Deling 2,5 mm
 For rebredder 6 mm




Materiale: Aluminium

Varenr.	Type	Materiale	Tand- antal	de	Df	Dm	F	L	d	Flange- nummer	Kg.
T2,5-16-012	1F	Al	12	9,00	13	12	9	16		100	0,01
T2,5-16-014	1F	Al	14	10,60	15	14	9	16		101	0,01
T2,5-16-015	1F	Al	15	11,40	15	15	9	16		101	0,01
T2,5-16-016	1F	Al	16	12,20	16	16	9	16		102	0,01
T2,5-16-018	2F	Al	18	13,80	18	10	10	16	3	104	0,01
T2,5-16-019	2F	Al	19	14,60	18	10	10	16	3	104	0,01
T2,5-16-020	2F	Al	20	15,40	19,5	11	10	16	3	105	0,01
T2,5-16-022	2F	Al	22	17,00	23	11	10	16	3	106	0,01
T2,5-16-024	2F	Al	24	18,55	23	12	10	16	3	107	0,01
T2,5-16-025	2F	Al	25	19,35	23	13	10	16	3	107	0,01
T2,5-16-026	2F	Al	26	20,15	25	14	10	16	4	108	0,01
T2,5-16-028	2F	Al	28	21,75	25	14	10	16	4	108	0,02
T2,5-16-030	2F	Al	30	23,35	28	16	10	16	6	109	0,02
T2,5-16-032	2F	Al	32	24,95	32	16	10	16	6	110	0,02
T2,5-16-036	2F	Al	36	28,10	36	20	10	16	6	111	0,03
T2,5-16-040	2F	Al	40	31,30	38	22	10	16	6	112	0,03
T2,5-16-044	2	Al	44	34,50		24	10	16	6		0,04
T2,5-16-048	2	Al	48	37,70		26	10	16	6		0,05
T2,5-16-060	2	Al	60	47,25		34	10	16	8		0,07

Metriske tandremsskiver for udboring - Type T - DIN 7721-2

T 5
 Deling 5 mm
 For rembredde 10 mm




Materiale: Aluminium

Varenr.	Type	Materiale	Tand- antal	de	Df	Dm	F	L	d	Flange- nummer	Kg.
T5-21-010	2F	Al	10	15,05	19,5	8	15	21		200	0,01
T5-21-012	2F	Al	12	18,25	23	10	15	21		201	0,01
T5-21-014	2F	Al	14	21,45	25	13	15	21		203	0,02
T5-21-015	2F	Al	15	23,05	28	16	15	21		204	0,02
T5-21-016	2F	Al	16	24,60	32	18	15	21		205	0,03
T5-21-018	2F	Al	18	27,80	32	20	15	21		205	0,03
T5-21-019	2F	Al	19	29,40	36	22	15	21		206	0,04
T5-21-020	2F	Al	20	31,00	36	23	15	21		206	0,04
T5-21-022	2F	Al	22	34,25	38	24	15	21		207	0,05
T5-21-024	2F	Al	24	37,40	42	26	15	21		208	0,06
T5-21-025	2F	Al	25	38,95	44	26	15	21		209	0,06
T5-21-026	2F	Al	26	40,60	44	26	15	21		209	0,06
T5-21-027	2F	Al	27	42,20	48	30	15	21	8	210	0,07
T5-21-028	2F	Al	28	43,75	48	32	15	21	8	210	0,07
T5-21-030	2F	Al	30	46,95	51	34	15	21	8	211	0,07
T5-21-032	2F	Al	32	50,10	54	38	15	21	8	212	0,09
T5-21-036	2F	Al	36	56,45	63	38	15	21	8	215	0,11
T5-21-040	2F	Al	40	62,85	66	40	15	21	8	216	0,14
T5-21-042	2F	Al	42	66,00	71	40	15	21	8	217	0,18
T5-21-044	2	Al	44	69,20		45	15	21	8		0,18
T5-21-048	2	Al	48	75,55		50	15	21	8		0,20
T5-21-060	2	Al	60	94,65		65	15	21	8		0,31

Metriske tandremsskiver for udboring - Type T - DIN 7721-2

T 5
Deling 5 mm
For rembredde 16 mm




Materiale: Aluminium

Varenr.	Type	Materiale	Tand- antal	de	Df	Dm	F	L	d	Flange- nummer	Kg.
T5-27-010	2F	Al	10	15,05	19,5	8	21	27		200	0,02
T5-27-012	2F	Al	12	18,25	23	10	21	27		201	0,02
T5-27-014	2F	Al	14	21,45	25	13	21	27		203	0,03
T5-27-015	2F	Al	15	23,05	28	16	21	27		204	0,03
T5-27-016	2F	Al	16	24,60	32	18	21	27		205	0,04
T5-27-018	2F	Al	18	27,80	32	20	21	27		205	0,04
T5-27-019	2F	Al	19	29,40	36	22	21	27		206	0,05
T5-27-020	2F	Al	20	31,00	36	23	21	27		206	0,06
T5-27-022	2F	Al	22	34,25	38	24	21	27		207	0,06
T5-27-024	2F	Al	24	37,40	42	26	21	27		208	0,08
T5-27-025	2F	Al	25	38,95	44	26	21	27		209	0,08
T5-27-026	2F	Al	26	40,60	44	26	21	27		209	0,09
T5-27-027	2F	Al	27	42,20	48	30	21	27	8	210	0,09
T5-27-028	2F	Al	28	43,75	48	32	21	27	8	210	0,09
T5-27-030	2F	Al	30	46,95	51	34	21	27	8	211	0,10
T5-27-032	2F	Al	32	50,10	54	38	21	27	8	212	0,12
T5-27-036	2F	Al	36	56,45	63	38	21	27	8	215	0,16
T5-27-040	2F	Al	40	62,85	66	40	21	27	8	216	0,19
T5-27-042	2F	Al	42	66,00	71	40	21	27	8	217	0,20
T5-27-044	2	Al	44	69,20		45	21	27	8		0,23
T5-27-048	2	Al	48	75,55		50	21	27	8		0,28
T5-27-060	2	Al	60	94,65		65	21	27	8		0,43

Metriske tandremsskiver for udboring - Type T - DIN 7721-2

T 5
Deling 5 mm
For remsbredde 25 mm




Materiale: Aluminium

Varenr.	Type	Materiale	Tand- antal	de	Df	Dm	F	L	d	Flange- nummer	Kg.
T5-36-010	2F	Al	10	15,05	19,5	8	30	36		200	0,02
T5-36-012	2F	Al	12	18,25	23	10	30	36		201	0,03
T5-36-014	2F	Al	14	21,45	25	13	30	36		203	0,04
T5-36-015	2F	Al	15	23,05	28	16	30	36		204	0,04
T5-36-016	2F	Al	16	24,60	32	18	30	36		205	0,05
T5-36-018	2F	Al	18	27,80	32	20	30	36		205	0,06
T5-36-019	2F	Al	19	29,40	36	22	30	36		206	0,07
T5-36-020	2F	Al	20	31,00	36	23	30	36		206	0,08
T5-36-022	2F	Al	22	34,25	38	24	30	36		207	0,08
T5-36-024	2F	Al	24	37,40	42	26	30	36		208	0,11
T5-36-025	2F	Al	25	38,95	44	26	30	36		209	0,12
T5-36-026	2F	Al	26	40,60	44	26	30	36		209	0,12
T5-36-027	2F	Al	27	42,20	48	30	30	36	8	210	0,13
T5-36-028	2F	Al	28	43,75	48	32	30	36	8	210	0,14
T5-36-030	2F	Al	30	46,95	51	34	30	36	8	211	0,15
T5-36-032	2F	Al	32	50,10	54	38	30	36	8	212	0,18
T5-36-036	2F	Al	36	56,45	63	38	30	36	8	215	0,23
T5-36-040	2F	Al	40	62,85	66	40	30	36	8	216	0,28
T5-36-042	2F	Al	42	66,00	71	40	30	36	8	217	0,29
T5-36-044	2	Al	44	69,20		45	30	36	8		0,31
T5-36-048	2	Al	48	75,55		50	30	36	8		0,40
T5-36-060	2	Al	60	94,65		65	30	36	8		0,61

Metriske tandremsskiver for udboring - Type T - DIN 7721-2

T 10

Deling 10 mm
For rebredder 16 mm




Materiale: Aluminium

Varenr.	Type	Materiale	Tand-antal	de	Df	Dm	F	L	d	Flange-nummer	Kg.
T10-31-012	2F	Al	12	36,35	42	28	21	31	6	208	0,08
T10-31-014	2F	Al	14	42,70	48	32	21	31	8	210	0,10
T10-31-015	2F	Al	15	45,90	51	32	21	31	8	211	0,12
T10-31-016	2F	Al	16	49,10	54	35	21	31	8	212	0,13
T10-31-018	2F	Al	18	55,45	60	40	21	31	8	214	0,17
T10-31-019	2F	Al	19	58,65	66	44	21	31	8	216	0,18
T10-31-020	2F	Al	20	61,80	66	46	21	31	8	216	0,21
T10-31-022	2F	Al	22	68,20	75	52	21	31	8	218	0,25
T10-31-024	2F	Al	24	74,55	83	58	21	31	8	219	0,29
T10-31-025	2F	Al	25	77,75	83	60	21	31	8	219	0,31
T10-31-026	2F	Al	26	80,90	87	60	21	31	8	220	0,36
T10-31-027	2F	Al	27	84,10	91	60	21	31	8	221	0,37
T10-31-028	2F	Al	28	87,25	93	60	21	31	8	222	0,40
T10-31-030	2F	Al	30	93,65	97	60	21	31	8	223	0,44
T10-31-032	2F	Al	32	100,00	106	65	21	31	10	224	0,49
T10-31-036	2F	Al	36	112,75	119	70	21	31	10	225	0,62
T10-31-040	2F	Al	40	125,45	131	80	21	31	10	226	0,77
T10-31-044	2	Al	44	138,20		88	21	31	10		1,00
T10-31-048	2	Al	48	150,95		95	21	31	16		1,10
T10-31-060	2	Al	60	189,15		110	21	31	16		1,70

Metriske tandremsskiver for udboring - Type T - DIN 7721-2

T 10
 Deling 10 mm
 For rebreddde 25 mm




Materiale: Aluminium

Varenr.	Type	Materiale	Tand- antal	de	Df	Dm	F	L	d	Flange- nummer	Kg.
T10-40-012	2F	Al	12	36,35	42	28	30	40	6	208	0,10
T10-40-014	2F	Al	14	42,70	48	32	30	40	8	210	0,13
T10-40-015	2F	Al	15	45,90	51	32	30	40	8	211	0,15
T10-40-016	2F	Al	16	49,10	54	35	30	40	8	212	0,18
T10-40-018	2F	Al	18	55,45	60	40	30	40	8	214	0,22
T10-40-019	2F	Al	19	58,65	66	44	30	40	8	216	0,25
T10-40-020	2F	Al	20	61,80	66	46	30	40	8	216	0,28
T10-40-022	2F	Al	22	68,20	75	52	30	40	8	218	0,34
T10-40-024	2F	Al	24	74,55	83	58	30	40	8	219	0,39
T10-40-025	2F	Al	25	77,75	83	60	30	40	8	219	0,42
T10-40-026	2F	Al	26	80,90	87	60	30	40	8	220	0,48
T10-40-027	2F	Al	27	84,10	91	60	30	40	8	221	0,54
T10-40-028	2F	Al	28	87,25	93	60	30	40	8	222	0,55
T10-40-030	2F	Al	30	93,65	97	60	30	40	8	223	0,64
T10-40-032	2F	Al	32	100,00	106	65	30	40	10	224	0,69
T10-40-036	2F	Al	36	112,75	119	70	30	40	10	225	0,87
T10-40-040	2F	Al	40	125,45	131	80	30	40	10	226	1,07
T10-40-044	2	Al	44	138,20		88	30	40	10		1,35
T10-40-048	2	Al	48	150,95		95	30	40	16		1,52
T10-40-060	2	Al	60	189,15		110	30	40	16		2,34

Metriske tandremsskiver for udboring - Type T - DIN 7721-2

T 10
 Deling 10 mm
 For rebredder 32 mm




Materiale: Aluminium

Varenr.	Type	Materiale	Tand- antal	de	Df	Dm	F	L	d	Flange- nummer	Kg.
T10-47-018	2F	Al	18	55,45	60	40	37	47	10	214	0,25
T10-47-019	2F	Al	19	58,65	66	44	37	47	10	216	0,29
T10-47-020	2F	Al	20	61,80	66	46	37	47	12	216	0,32
T10-47-022	2F	Al	22	68,20	75	52	37	47	12	218	0,39
T10-47-024	2F	Al	24	74,55	83	58	37	47	12	219	0,47
T10-47-025	2F	Al	25	77,75	83	60	37	47	12	219	0,53
T10-47-026	2F	Al	26	80,90	87	60	37	47	12	220	0,56
T10-47-027	2F	Al	27	84,10	91	60	37	47	12	221	0,60
T10-47-028	2F	Al	28	87,25	93	60	37	47	12	222	0,64
T10-47-030	2F	Al	30	93,65	97	60	37	47	12	223	0,74
T10-47-032	2F	Al	32	100,00	106	65	37	47	12	224	0,84
T10-47-036	2F	Al	36	112,75	119	70	37	47	16	225	1,06
T10-47-040	2F	Al	40	125,45	131	80	37	47	16	226	1,32
T10-47-044	2	Al	44	138,20		88	37	47	16		1,61
T10-47-048	2	Al	48	150,95		95	37	47	16		1,93
T10-47-060	2	Al	60	189,10		110	37	47	16		3,00

Metriske tandremsskiver for udboring - Type T - DIN 7721-2

T 10
 Deling 10 mm
 For rebreddde 50 mm




Materiale: Aluminium

Varenr.	Type	Materiale	Tand- antal	de	Df	Dm	F	L	d	Flange- nummer	Kg.
T10-66-018	2F	Al	18	55,45	60	40	56	66	10	214	0,42
T10-66-019	2F	Al	19	58,65	66	44	56	66	10	216	0,47
T10-66-020	2F	Al	20	61,80	66	46	56	66	12	216	0,52
T10-66-022	2F	Al	22	68,20	75	52	56	66	12	218	0,57
T10-66-024	2F	Al	24	74,55	83	58	56	66	12	219	0,74
T10-66-025	2F	Al	25	77,75	83	60	56	66	12	219	0,77
T10-66-026	2F	Al	26	80,90	87	60	56	66	12	220	0,82
T10-66-027	2F	Al	27	84,10	91	60	56	66	12	221	0,95
T10-66-028	2F	Al	28	87,25	93	60	56	66	12	222	0,96
T10-66-030	2F	Al	30	93,65	97	60	56	66	12	223	1,17
T10-66-032	2F	Al	32	100,00	106	65	56	66	12	224	1,30
T10-66-036	2F	Al	36	112,75	119	70	56	66	16	225	1,64
T10-66-040	2F	Al	40	125,45	131	80	56	66	16	226	2,00
T10-66-044	2	Al	44	138,20		88	56	66	16		2,36
T10-66-048	2	Al	48	150,95		95	56	66	16		2,83
T10-66-060	2	Al	60	189,10		110	56	66	16		4,37

Metriske tandremsskiver for udboring - Type T - DIN 7721-2

AT 5
Deling 5 mm
For rembredde 10 mm




Materiale: Aluminium

Varenr.	Type	Materiale	Tand- antal	de	Df	Dm	F	L	d	Flange- nummer	Kg.
AT5-21-012	2F	Al	12	17,85	23	10	15	21		201	0,01
AT5-21-014	2F	Al	14	21,05	25	13	15	21		203	0,02
AT5-21-015	2F	Al	15	22,65	28	16	15	21		204	0,02
AT5-21-016	2F	Al	16	24,20	32	18	15	21		205	0,03
AT5-21-018	2F	Al	18	27,40	32	20	15	21		205	0,03
AT5-21-019	2F	Al	19	29,00	36	22	15	21		206	0,04
AT5-21-020	2F	Al	20	30,60	36	23	15	21		206	0,04
AT5-21-022	2F	Al	22	33,85	38	24	15	21		207	0,05
AT5-21-024	2F	Al	24	37,00	42	26	15	21		208	0,06
AT5-21-025	2F	Al	25	38,55	44	26	15	21		209	0,06
AT5-21-026	2F	Al	26	40,20	44	26	15	21		209	0,06
AT5-21-027	2F	Al	27	41,80	48	30	15	21	8	210	0,07
AT5-21-028	2F	Al	28	43,35	48	32	15	21	8	210	0,07
AT5-21-030	2F	Al	30	46,55	51	34	15	21	8	211	0,07
AT5-21-032	2F	Al	32	49,70	54	38	15	21	8	212	0,09
AT5-21-036	2F	Al	36	56,05	63	38	15	21	8	215	0,11
AT5-21-040	2F	Al	40	62,45	66	40	15	21	8	216	0,14
AT5-21-042	2F	Al	42	65,60	71	40	15	21	8	217	0,18
AT5-21-044	2	Al	44	68,80		45	15	21	8		0,18
AT5-21-048	2	Al	48	75,15		50	15	21	8		0,20
AT5-21-060	2	Al	60	94,25		65	15	21	8		0,31

Metriske tandremsskiver for udboring - Type T - DIN 7721-2

AT 5
Deling 5 mm
For rembredde 16 mm




Materiale: Aluminium

Varenr.	Type	Materiale	Tand- antal	de	Df	Dm	F	L	d	Flange- nummer	Kg.
AT5-27-012	2F	Al	12	17,85	23	10	21	27		201	0,02
AT5-27-014	2F	Al	14	21,05	25	13	21	27		203	0,03
AT5-27-015	2F	Al	15	22,65	28	16	21	27		204	0,03
AT5-27-016	2F	Al	16	24,20	32	18	21	27		205	0,04
AT5-27-018	2F	Al	18	27,40	32	20	21	27		205	0,04
AT5-27-019	2F	Al	19	29,00	36	22	21	27		206	0,05
AT5-27-020	2F	Al	20	30,60	36	23	21	27		206	0,06
AT5-27-022	2F	Al	22	33,85	38	24	21	27		207	0,06
AT5-27-024	2F	Al	24	37,00	42	26	21	27		208	0,08
AT5-27-025	2F	Al	25	38,55	44	26	21	27		209	0,08
AT5-27-026	2F	Al	26	40,20	44	26	21	27		209	0,09
AT5-27-027	2F	Al	27	41,80	48	30	21	27	8	210	0,09
AT5-27-028	2F	Al	28	43,35	48	32	21	27	8	210	0,09
AT5-27-030	2F	Al	30	46,55	51	34	21	27	8	211	0,10
AT5-27-032	2F	Al	32	49,70	54	38	21	27	8	212	0,12
AT5-27-036	2F	Al	36	56,05	63	38	21	27	8	215	0,16
AT5-27-040	2F	Al	40	62,45	66	40	21	27	8	216	0,19
AT5-27-042	2F	Al	42	65,60	71	40	21	27	8	217	0,20
AT5-27-044	2	Al	44	68,80		45	21	27	8		0,23
AT5-27-048	2	Al	48	75,15		50	21	27	8		0,28
AT5-27-060	2	Al	60	94,25		65	21	27	8		0,43

Metriske tandremsskiver for udboring - Type T - DIN 7721-2

AT 5
Deling 5 mm
For rembredde 25 mm




Materiale: Aluminium

Varenr.	Type	Materiale	Tand- antal	de	Df	Dm	F	L	d	Flange- nummer	Kg.
AT5-36-012	2F	Al	12	17,85	23	10	30	36		201	0,03
AT5-36-014	2F	Al	14	21,05	25	13	30	36		203	0,04
AT5-36-015	2F	Al	15	22,65	28	16	30	36		204	0,04
AT5-36-016	2F	Al	16	24,20	32	18	30	36		205	0,05
AT5-36-018	2F	Al	18	27,40	32	20	30	36		205	0,06
AT5-36-019	2F	Al	19	29,00	36	22	30	36		206	0,07
AT5-36-020	2F	Al	20	30,60	36	23	30	36		206	0,08
AT5-36-022	2F	Al	22	33,85	38	24	30	36		207	0,08
AT5-36-024	2F	Al	24	37,00	42	26	30	36	8	208	0,11
AT5-36-025	2F	Al	25	38,55	44	26	30	36	8	209	0,12
AT5-36-026	2F	Al	26	40,20	44	26	30	36	8	209	0,12
AT5-36-027	2F	Al	27	41,80	48	30	30	36	8	210	0,13
AT5-36-028	2F	Al	28	43,35	48	32	30	36	8	210	0,14
AT5-36-030	2F	Al	30	46,55	51	34	30	36	8	211	0,15
AT5-36-032	2F	Al	32	49,70	54	38	30	36	8	212	0,18
AT5-36-036	2F	Al	36	56,05	63	38	30	36	8	215	0,23
AT5-36-040	2F	Al	40	62,45	66	40	30	36	8	216	0,28
AT5-36-042	2F	Al	42	65,60	71	40	30	36	8	217	0,29
AT5-36-044	2	Al	44	68,80		45	30	36	8		0,31
AT5-36-048	2	Al	48	75,15		50	30	36	8		0,40
AT5-36-060	2	Al	60	94,25		65	30	36	8		0,61

Metriske tandremsskiver for udboring - Type T - DIN 7721-2

AT 10
 Deling 10 mm
 For rebredde 16 mm




Materiale: Aluminium

Varenr.	Type	Materiale	Tand- antal	de	Df	Dm	F	L	d	Flange- nummer	Kg.
AT10-31-015	2F	Al	15	45,90	51	32	21	31	8	211	0,12
AT10-31-016	2F	Al	16	49,10	54	35	21	31	8	212	0,13
AT10-31-018	2F	Al	18	55,45	60	40	21	31	8	214	0,17
AT10-31-019	2F	Al	19	58,65	66	44	21	31	8	216	0,18
AT10-31-020	2F	Al	20	61,80	66	46	21	31	8	216	0,21
AT10-31-022	2F	Al	22	68,20	75	52	21	31	8	218	0,25
AT10-31-024	2F	Al	24	74,55	83	58	21	31	8	219	0,29
AT10-31-025	2F	Al	25	77,75	83	60	21	31	8	219	0,31
AT10-31-026	2F	Al	26	80,90	87	60	21	31	8	220	0,36
AT10-31-027	2F	Al	27	84,05	91	60	21	31	8	221	0,37
AT10-31-028	2F	Al	28	87,25	93	60	21	31	8	222	0,40
AT10-31-030	2F	Al	30	93,65	97	60	21	31	8	223	0,44
AT10-31-032	2F	Al	32	100,00	106	65	21	31	10	224	0,49
AT10-31-036	2F	Al	36	112,75	119	70	21	31	10	225	0,62
AT10-31-040	2F	Al	40	125,45	131	80	21	31	10	226	0,77
AT10-31-044	2	Al	44	138,20		88	21	31	10		1,00
AT10-31-048	2	Al	48	150,95		95	21	31	16		1,10
AT10-31-060	2	Al	60	189,15		110	21	31	16		1,70

Metriske tandremsskiver for udboring - Type T - DIN 7721-2

AT 10
Deling 10 mm
For rebreddde 25 mm




Materiale: Aluminium

Varenr.	Type	Materiale	Tand- antal	de	Df	Dm	F	L	d	Flange- nummer	Kg.
AT10-40-015	2F	Al	15	45,90	51	32	30	40	8	211	0,15
AT10-40-016	2F	Al	16	49,10	54	35	30	40	8	212	0,18
AT10-40-018	2F	Al	18	55,45	60	40	30	40	8	214	0,22
AT10-40-019	2F	Al	19	58,65	66	44	30	40	8	216	0,25
AT10-40-020	2F	Al	20	61,80	66	46	30	40	8	216	0,28
AT10-40-022	2F	Al	22	68,20	75	52	30	40	8	218	0,34
AT10-40-024	2F	Al	24	74,55	83	58	30	40	8	219	0,39
AT10-40-025	2F	Al	25	77,75	83	60	30	40	8	219	0,42
AT10-40-026	2F	Al	26	80,90	87	60	30	40	8	220	0,48
AT10-40-027	2F	Al	27	84,05	91	60	30	40	8	221	0,54
AT10-40-028	2F	Al	28	87,25	93	60	30	40	8	222	0,55
AT10-40-030	2F	Al	30	93,65	97	60	30	40	8	223	0,64
AT10-40-032	2F	Al	32	100,00	106	65	30	40	10	224	0,69
AT10-40-036	2F	Al	36	112,75	119	70	30	40	10	225	0,87
AT10-40-040	2F	Al	40	125,45	131	80	30	40	10	226	1,07
AT10-40-044	2	Al	44	138,20		88	30	40	10		1,35
AT10-40-048	2	Al	48	150,95		95	30	40	16		1,52
AT10-40-060	2	Al	60	189,15		110	30	40	16		2,34

Metriske tandremsskiver for udboring - Type T - DIN 7721-2

AT 10
 Deling 10 mm
 For rembredde 32 mm




Materiale: Aluminium

Varenr.	Type	Materiale	Tand- antal	de	Df	Dm	F	L	d	Flange- nummer	Kg.
AT10-47-018	2F	Al	18	55,45	60	40	37	47	10	214	0,25
AT10-47-019	2F	Al	19	58,65	66	44	37	47	10	216	0,29
AT10-47-020	2F	Al	20	61,80	66	46	37	47	12	216	0,32
AT10-47-022	2F	Al	22	68,20	75	52	37	47	12	218	0,39
AT10-47-024	2F	Al	24	74,55	83	58	37	47	12	219	0,47
AT10-47-025	2F	Al	25	77,75	83	60	37	47	12	219	0,53
AT10-47-026	2F	Al	26	80,90	87	60	37	47	12	220	0,56
AT10-47-027	2F	Al	27	84,05	91	60	37	47	12	221	0,60
AT10-47-028	2F	Al	28	87,25	93	60	37	47	12	222	0,64
AT10-47-030	2F	Al	30	93,65	97	60	37	47	12	223	0,74
AT10-47-032	2F	Al	32	100,00	106	65	37	47	12	224	0,84
AT10-47-036	2F	Al	36	112,75	119	70	37	47	16	225	1,06
AT10-47-040	2F	Al	40	125,45	131	80	37	47	16	226	1,32
AT10-47-044	2	Al	44	138,20		88	37	47	16		1,61
AT10-47-048	2	Al	48	150,95		95	37	47	16		1,93
AT10-47-060	2	Al	60	189,15		110	37	47	16		3,00

Metriske tandremsskiver for udboring - Type T - DIN 7721-2

AT 10
Deling 10 mm
For rembredde 50 mm



Materiale: Aluminium

Varenr.	Type	Materiale	Tand- antal	de	Df	Dm	F	L	d	Flange- nummer	Kg.
AT10-66-018	2F	Al	18	55,45	60	40	56	66	10	214	0,42
AT10-66-019	2F	Al	19	58,65	66	44	56	66	10	216	0,47
AT10-66-020	2F	Al	20	61,80	66	46	56	66	12	216	0,52
AT10-66-022	2F	Al	22	68,20	75	52	56	66	12	218	0,57
AT10-66-024	2F	Al	24	74,55	83	58	56	66	12	219	0,74
AT10-66-025	2F	Al	25	77,75	83	60	56	66	12	219	0,77
AT10-66-026	2F	Al	26	80,90	87	60	56	66	12	220	0,82
AT10-66-027	2F	Al	27	84,05	91	60	56	66	12	221	0,95
AT10-66-028	2F	Al	28	87,25	93	60	56	66	12	222	0,96
AT10-66-030	2F	Al	30	93,65	97	60	56	66	12	223	1,17
AT10-66-032	2F	Al	32	100,00	106	65	56	66	12	224	1,30
AT10-66-036	2F	Al	36	112,75	119	70	56	66	16	225	1,64
AT10-66-040	2F	Al	40	125,45	131	80	56	66	16	226	2,00
AT10-66-044	2	Al	44	138,20		88	56	66	16		2,36
AT10-66-048	2	Al	48	150,95		95	56	66	16		2,83
AT10-66-060	2	Al	60	189,15		110	56	66	16		4,37